

FREE STANDING 2019-2020



Smalterie Metallurgiche Emiliane Guastalla

Distinctive domestic appliances developed
in collaboration with leading architects of
the world.

Products that express "Made in Italy" by
perfectly combining design, performance,
and attention to detail.

Smeg. Technology with style.



Premium quality and design

Index

18

Cookers & cooking accessories



84

Microwaves



88

Hoods



106

Refrigeration



148

Dishwashers




160

Laundry



172

Glossary



- 1948** Vittorio Bertazzoni Sr founds Smeg (Smalterie Metallurgiche Emiliane Guastalla) in Guastalla, near Reggio Emilia in Italy.
- 1955** Production of cookers begins, reaching its peak with the presentation of the first Smeg brand cooker, Elisabeth, in 1956.
- 1963** The company presents Leda, the first Smeg branded washing machine, thanks to an increase in production capacity to include laundry appliances.
- 1970** Niagara is released, the world's first 14-place setting dishwasher, meeting modern requirements for large wash capacities.
- 1971** Production of built-in appliances such as ovens and hobs begins; these products will become part of the defining elements of Smeg's success.
- 1977** Franco Maria Ricci, one of Italy's most illustrious publishers and graphic designers, creates the Smeg logo which incorporates references to the burners of a gas hob and the round knobs of an oven. Smeg also begins its sponsorship of legendary Ferrari driver Gilles Villeneuve.
- 1985** Instinctively and incisively understanding new consumer requirements for more elegant products, the company begins working with architect Guido Canali to create ovens and hobs.
- 1991** Smeg's collaboration with important designers continues, with the company offering ovens and hobs designed by architect Mario Bellini.
- 1995** The company begins working with architect Renzo Piano, a collaboration which will lead to the production of hobs, ovens, fridges and the Smeg home garden.
- 1997** The FAB range of fridges is created, a product line destined to become an international style icon and status symbol.
- 2008** Smeg celebrates its 60th anniversary and presents products designed alongside Marc Newson, which leads to winning the Wallpaper Design Award the following year.
- 2012** The first denim-covered fridge, created in collaboration with Italia Independent, is released, followed the next year by the Smeg500, a fridge which looks like a Fiat 500 car.
- 2014** The 50s Style small appliances line, created together with the deepdesign© studio, makes its debut and immediately wins over both customers and critics. Smeg wins the Good Design award once again, as well as the iF Design Award and Red Dot Design Award.
- 2017** Professional style Portofino cookers with triple-fan cavities are added to the range. A concession in world famous luxury department store, Harrods, and a flagship Smeg store open in the heart of London.
- 2019** The Vitality System and Smeg Connect are introduced to the range. Smeg collaborate with Disney to create Mickey Mouse special edition FAB.

HISTORY

Smeg has been producing domestic appliances with the finest Italian design for more than 70 years, with a particular focus on aesthetics, ergonomics and functionality. Today Smeg, originally an acronym for Smalterie Metallurgiche Emiliane Guastalla indicating its initial activities in enamel work and metallurgy, has reached its third generation of entrepreneurs and represents an international group with direct subsidiaries and distributors in all five continents.

Smeg believes that objects of daily use should not only fill an environment; they should create an atmosphere. This sensitivity, which has inspired the collaboration with great architects and designers of our time, is the perfect expression of Made in Italy which combines art and industrial expertise in everyday objects.



CO-ORDINATING COLLECTION

Style, for Smeg, is a distinct concept: the way a product communicates with its surroundings and enables users to interact with it. Every aesthetic design family offers a choice of different coordinating products. Aesthetic lines are presented in a wide range of appliances and can be coordinated throughout the kitchen to create a powerful style statement.



50'S RETRO STYLE & VICTORIA

Smeg 50's Retro Style products embody the glamour and rounded forms of the 1950's and have become real cult objects. They provide a nostalgic atmosphere, where time seems to stop, and passion for good food can be seen through the utmost attention to detail.



CLASSIC

Smeg Classic designed appliances are made up of a series of iconic and elegant domestic appliances that are finished in smart Stainless Steel. Ranges like Opera perfectly compliment this design style offering a timeless look with a contemporary feel.



PORTOFINO

Inspired by the colours of the Ligurian coast, Portofino appliances are light and vibrant, harmoniously combining the lightness and brightness of Mediterranean hues with the raw strength of stainless steel.

SMEG PRODUCTS

Smeg products, the perfect combination of refined aesthetics and technological reliability, have transformed simple kitchen appliances into designer furnishings, undisputed examples of the finest Italian design. A range of fully coordinated domestic appliances with unmistakably refined aesthetics and a well-defined identity of its own.

COOKERS

Inspired by professional cookers used by the world's greatest chefs, Smeg offers genuine design icons where style and elegance go hand in hand with extreme versatility and outstanding performance. With five unique design styles and an array of sizes to choose from, there is a Smeg cooker for everyone.



Cookers

refined elegance

State-of-the-art technology combined with a rigorous approach to aesthetics and top quality materials are the guiding principles behind the design of Smeg cookers, making the company name famous worldwide.



OPERA



PORTOFINO



VICTORIA



SYMPHONY





CONCERT


VERSATILITY

an ample range


Available in a number of different dimensions from 60cm wide to 150cm, Smeg cookers satisfy every space requirement.



SINGLE OVEN



DOUBLE OVEN




SIDE BY SIDE OVENS

The range includes cookers with diverse capacities, from the smallest 33 litre capacity to an ample 115 litres. Single, double (horizontal or vertical) and triple ovens are available with the choice of gas, ceramic or induction hob.

Side opening doors

Some Smeg cookers have side opening doors which allow easy access letting you get closer to the oven, especially useful for people with mobility limitations.

Smeg cookers can be **elegantly slotted** in between other fitted kitchen furniture for a distinctive choice that is totally safe, thanks to the excellent insulation and outer **cooling system** that prevents the sides of Smeg cookers from overheating.



BUILDING IN

OVENS

high performance

Smeg creates cookers that combine design and technology in a unique style, with special attention to functionality.



TILTING GRILL

Some cookers feature a tilting grill that can be easily unhooked to clean the roof of the appliance in one simple step.



EXTRA VOLUME

All 90cm wide single cavity cookers have a large usable capacity of 115 litres, allowing wider baking trays to be used.



LCD DISPLAY

The easy to use large LCD display featured on select models allows functions and temperatures to be visible at a glance. The **EASY GUIDE** technology offers a number of automatic programmes and customisable recipes (depending on the model) providing an enhanced cooking experience.

TOUCH TIMER

The circular clocks on Opera cookers have now been replaced with easy to use touch timer displays or LCD displays (depending on the model).

SOFT CLOSE DOOR

Selected models are equipped with Soft-Close hinges so that the door closes smoothly and silently without slamming.

ECLIPSE BLACK GLASS

Opera cookers now have a special glass which appears black when switched off but when lit during cooking, becomes translucent ensuring perfect visibility of the interior.

MULTIPLE FANS

Some models have two or three fans which offer more efficient heat distribution allowing more uniform cooking. Pre-heating time is significantly reduced resulting in greatly improved cooking times.



AIR COOLING SYSTEM

The sides, the door and the components outside the cooker remain cool, ensuring greater safety and a longer life for your appliance. The cooling system remains in operation even when cooking is finished, dissipating the accumulated heat inside the cooker.



HOBS

electric solutions

INDUCTION HOBS

Faster than gas cooking, induction technology is based on magnetic fields which induce heat onto a ferrous material in the base of the pan, meaning that the pot becomes the element that cooks the food, and as a result energy efficiency is maximised and heat loss is minimised. It is also easy to clean as splashes do not burn onto the hob top.

CERAMIC HOBS

Cookers with ceramic hobs can be found in the different aesthetic lines, they have **automatic safety cut-outs** and individual residual heat indicators for all the cooking zones. High quality materials and stringent checks during the manufacturing process ensure a reliable and long lasting hob.



gas solutions

This large powerful **WOK burner** is ideal for lovers of oriental cuisine or when high speed cooking is required. The 2 rings of flames can be controlled together or individually.

The **Teppanyaki grill** plate offers a different cooking style option, using a hot plate to grill food and seal in the flavours.

All Smeg hob tops have an **anti-overflow feature**, with the 90cm models capable of holding 4.5 litres. This special feature avoids spills of liquid thus protecting the kitchen furniture on either side.



Heavy duty cast iron pan stands for maximum stability and safety.

Cookers accessories can be found on pages 80-83

EXCELLENCE AS A STANDARD

different cooking functions



CIRCUAIRE

The effective circulation of hot air from the combination of the fan and circular heating element, means that a number of dishes can be cooked together at the same time with no transference of flavours or smells.



TRADITIONAL

Static top and bottom heat ensures food remains moist when cooked for longer periods of time. Ideal for slow baked cakes and casserole.

Excellence as standard



OPTIMAL ENERGY EFFICIENCY

Some cookers in the range now offer an impressive A+ energy rating and most are A rated, designed to perform at maximum efficiency while reducing energy consumption to the minimum.



TELESCOPIC SHELVES

Telescopic rails allow hot food to be checked very safely, particularly useful when grilling, and are extremely convenient and easy to use. Many models have these rails as standard, or are available as an optional accessory.



5 COOKING LEVELS

Most oven compartments offer either 5 or 4 cooking levels, plenty of room and flexibility. Cookers with a tall oven cavity have 9 cooking levels, perfect for batch baking.



SAFE COOK

Closed door grilling allows you to grill with the door closed, keeping cooking smells inside the oven and out of the kitchen to ensure a safe cooking environment and reduce energy consumption.




PYROLYTIC CLEANING

This automatic cleaning function works by heating the inside of the oven to 500°C to burn off any grease and dirt. Quadruple glazed and Cooler touch doors, mean that during the Pyrolytic cleaning cycle, the outer glass will become no hotter than 55°C.



VAPOR CLEAN

Make cleaning an easier task by simply putting a little water & detergent into the hollow of the oven base to generate vapor and release burnt on food from the walls of the oven.



ALL GLASS REMOVABLE INNER DOOR

The single flat surface of the inner door is extremely easy to keep clean and it can be removed completely if necessary.

OPERA

Modern in its design with a clean and elegant styling, ergonomic lever shaped controls and robust handles, Opera is a truly aspirational range of cookers for serious cooks. Crafted with minute attention to detail and using 18/10 Stainless Steel to ensure long lasting and excellent results.




A5-81

150CM, OPERA, DUAL CAVITY COOKER WITH GAS HOB & ELECTRIC GRIDDLE, FINGER FRIENDLY
St/STEEL



MAIN OVEN:




8 functions Inc Circulaire element with fan
Oven GROSS capacity: 90 litres
Oven NET capacity: 77 litres

Touch display

Eclipse glass

Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels

AUXILIARY OVEN:



8 functions Inc Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 54 litres


Touch display

Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels
Special Pizza function

ACCESSORIES INCLUDED:

2 baking trays, 3 chrome shelves, 1 grill mesh,
pizza stone + cover + shovel, 1 extra deep tray (40mm deep)

Pull out full width storage drawer



KIT1A5-81

HOB:




7 burners + Griddle
Front left: Ultra rapid 4.20 kW
Rear left: 1.80 kW
Front centre: 1.00 kW
Rear centre: Rapid 3.00 kW
Front right: 1.00 kW
Rear right: Fishburner 1.90 kW
Right: Ultra rapid 5.00 kW
Electric griddle: 1.60 kW with Teflon coated plate
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 8.00 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Opera hoods




A4-81

120CM, OPERA, DUAL CAVITY COOKER WITH GAS HOB & ELECTRIC GRIDDLE, FINGER FRIENDLY ST/STEEL




MAIN OVEN:



8 functions Inc Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Touch display
Eclipse glass
Air cooling system
Closed door grilling
Triple glazed removable door
Metal side supports, 4 cooking levels

AUXILIARY OVEN:



6 functions Inc Upper & lower element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 55 litres
Minute minder
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels
Special Pizza function

ACCESSORIES INCLUDED:

1 roasting/grill pan (20mm deep), 2 grill meshes, 2 extra deep trays (40mm deep), 3 chrome shelves, 1 set of partially extractable telescopic guides, pizza stone + cover + shovel

Pull out full width storage drawer

HOB:

A4BL-81


120CM, OPERA, DUAL CAVITY COOKER WITH GAS HOB & ELECTRIC GRIDDLE, BLACK



6 burners + Griddle
Front left: Ultra rapid 4.20 kW
Rear left: 1.80 kW
Front centre: 1.00 kW
Rear centre: Rapid 3.00 kW
Electric griddle: 1.60 kW with Teflon coated plate
Front right: 1.00 kW
Rear right: Fishburner 1.90 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 7.5 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Opera hoods



KIT1A3-8

A3-81

120CM, OPERA, DUAL CAVITY COOKER WITH GAS HOB & ELECTRIC GRIDDLE, FINGER FRIENDLY ST/STEEL



MAIN OVEN:



8 functions Inc Circulaire element with fan
Oven GROSS capacity: 90 litres
Oven NET capacity: 77 litres
Touch display
Eclipse glass
Air cooling system
Closed door grilling
Triple glazed removable door
Metal side supports, 4 cooking levels

AUXILIARY OVEN:




4 functions Inc Upper & lower element
Oven GROSS capacity: 42 litres
Oven NET capacity: 40 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Metal side supports, 4 cooking levels

ACCESSORIES INCLUDED:

3 baking trays, 3 chrome shelves, 1 grill mesh, 1 rotisserie kit

Pull out full width storage drawer




KIT1A3-8

A2-81

100CM, OPERA, DUAL CAVITY COOKER WITH MULTIFUNCTION OVEN & GAS HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN:



8 functions Inc Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres

Touch display

Eclipse glass

Air cooling system
Closed door grilling
Triple glazed removable door
Metal side supports, 4 cooking levels

AUXILIARY OVEN:




6 functions Inc Upper & lower element with fan
Oven GROSS capacity: 36 litres
Oven NET capacity: 35 litres

Air cooling system
Closed door grilling
Triple glazed removable door
Metal side supports, 4 cooking levels

ACCESSORIES INCLUDED:

1 roasting/grill pan (20mm deep), 1 extra deep tray (40mm deep),
2 grill meshes, 2 chrome shelves, 1 baking tray, 1 rotisserie kit

Pull out full width storage drawer



KIT1CSP20

A2BL-81

100CM, OPERA, DUAL CAVITY COOKER WITH MULTIFUNCTION OVEN & GAS HOB, GLOSS BLACK



HOB:



6 burners
Front left: 1.80 kW
Rear left: Ultra rapid 4.20 kW
Front centre: 1.00 kW
Rear centre: 1.80 kW
Front right: Ultra rapid 4.20 kW
Rear right: Rapid 3.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 5.30 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Opera hoods


A2PY-81

PYROLYTIC

100CM, OPERA, DUAL CAVITY COOKER WITH PYROLYTIC MULTIFUNCTION OVEN & GAS HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN:



10 functions Inc Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres

Touch display

Eclipse glass

Air cooling system
Closed door grilling
Quadruple glazed door
Pyrolytic cleaning function
Metal side supports, 4 cooking levels

AUXILIARY OVEN:



6 functions Inc Upper & lower element with fan
Oven GROSS capacity: 36 litres
Oven NET capacity: 35 litres

Air cooling system
Closed door grilling
Triple glazed removable door
Metal side supports, 4 cooking levels

ACCESSORIES INCLUDED:

1 extra deep tray (40mm deep), 3 chrome shelves, 2 rotisserie kits
1 baking tray, 1 grill mesh

Pull out full width storage drawer

NB: See hood section for matching Opera hoods

KIT1CSP20 (FOR A2PY-81) AS SHOWN
KIT1A2PYID-81 (FOR A2PYID-81), SEE WEBSITE FOR TECHNICAL DRAWING

A2PYID-81

PYROLYTIC & INDUCTION

100CM, OPERA, DUAL CAVITY COOKER WITH PYROLYTIC MULTIFUNCTION OVEN & INDUCTION HOB, FINGER FRIENDLY ST/STEEL



HOB: A2PY-81




6 burners
Front left: 1.80 kW
Rear left: Ultra rapid 4.20 kW
Front centre: 1.00 kW
Rear centre: 1.80 kW
Front right: Ultra rapid 4.20 kW
Rear right: Rapid 3.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

HOB: A2PYID-81



5 "full power" induction zones including
Front left: Ø 145mm, 1.40 kW (booster 2.20 kW)
Rear left: Ø 180mm, 1.85 kW (booster 3.00 kW)
Centre: Ø 270mm, 2.60 kW (booster 3.70 kW)
Rear right: Ø 210mm, 2.30 kW (booster 3.70 kW)
Front right: Ø 145mm, 1.40 kW (booster 2.20 kW)
Automatic safety cut-out

Nominal power: 5.10 kW (A2PY-81), 12.5 kW (A2PYID-81)
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement




A1-9

90CM, OPERA, COOKER WITH MULTIFUNCTION OVEN & GAS HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN:



Nominal power: 3.2 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Opera hoods



11 functions Inc Circulaire element with fan
Other functions: Defrost by time, Defrost by weight, Warming, Rising
50 automatic programmes
10 customisable recipes
Oven GROSS capacity: 129 litres
Oven NET capacity: 115 litres
Large LCD display
Eclipse glass
Triple fan
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapour clean function
Metal side supports, 5 cooking levels
Soft close door

ACCESSORIES INCLUDED:


2 extra deep trays (40mm deep), 1 grill mesh, 2 chrome shelves, 1 rotisserie kit, 1 set of partially extractable telescopic guides

Pull out full width storage drawer


HOB:



6 burners
Front left: Ultra rapid 4.20 kW
Rear left: Rapid 3.00 kW
Front centre: 1.00 kW
Rear centre: 1.80 kW
Front right: 1.80 kW
Rear right: Rapid 3.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG



KIT1A1-9



A1PYID-9

PYROLYTIC & INDUCTION

90CM, OPERA, COOKER WITH MULTIFUNCTION PYROLYTIC OVEN & INDUCTION HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN:



Nominal power: 11.40 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Opera hoods


13 functions Inc Circulaire element with fan
Other functions: Defrost by time, Defrost by weight, Warming, Rising
50 automatic programmes
10 customisable recipes
Oven GROSS capacity: 129 litres
Oven NET capacity: 115 litres
Large LCD display
Eclipse glass
Triple fan
Air cooling system
Closed door grilling
Quadruple glazed door
Removable inner door glass
Pyrolytic cleaning function
Metal side supports, 5 cooking levels
Soft close door

ACCESSORIES INCLUDED:


2 extra deep trays (40mm deep), 1 grill mesh, 2 chrome shelves, 1 rotisserie kit, 1 set of partially extractable telescopic guides

Pull out full width storage drawer


HOB:



5 'full power' induction zones including
Front left: Ø 145mm, 1.40 kW (booster 2.20 kW)
Rear left: Ø 180mm, 1.85 kW (booster 3.00 kW)
Centre: Ø 270mm, 2.60 kW (booster 3.70 kW)
Rear right: Ø 210mm, 2.30 kW (booster 3.70 kW)
Front right: Ø 145mm, 1.40 kW (booster 2.20 kW)
Automatic safety cut-out



KIT1A1PY-9



PORTOFINO

This colourful range, inspired by the rich tones of the Mediterranean, offers superb performance, and is characterised by the clean lines typical of professional kitchen design. The Portofino cooker expresses its unique charm in any position in the kitchen, whether built-in or free standing, providing a unique flash of colour. Coloured sides add the finishing touch, highlighting the precise attention to detail that transforms these appliances into real design pieces.




CPF1 20IGMPT

PYROLYTIC

120cm, PORTOFINO, DUAL CAVITY COOKER WITH MIXED FUEL HOB, TURQUOISE




MAIN OVEN:



10 functions Inc Circulaire element with fan
Oven GROSS capacity: 79 litres
Oven NET capacity: 70 litres

Touch display
Air cooling system
Closed door grilling
Quadruple glazed removable door
Metal side supports, 5 cooking levels
Pyrolytic cleaning function
Soft close door

AUXILIARY OVEN:



9 functions Inc Circulaire element with fan
Oven GROSS capacity: 79 litres
Oven NET capacity: 63 litres

Touch display
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 5 cooking levels
Vapor clean function
Soft close door

ACCESSORIES INCLUDED:

2 roasting/grill pans (20mm deep), 2 grill meshes,
2 extra deep trays (40mm deep), 2 chrome shelves,
2 set of partially extractable telescopic guides, 1 x meat probe.

Pull out full width storage drawer

HOB:



3 burners + Griddle + Induction
Left: Ultra rapid 4.20 kW
Front centre: 1.80 kW
Rear centre: 3.00 kW
Electric griddle: 1.60 kW
Front right induction: 210 mm, 2.10 kW (booster 2.30 kW)
Rear right induction: 210 mm, 1.60 kW (booster 1.85 kW)
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG
Automatic safety cut-out

Nominal power: 10.90 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Portofino hoods

Dimensions: 120cm x 60cm. For technical drawing please see www.smeguk.com

CPF1 20IGMPBL

BLACK



CPF1 20IGMPWH

WHITE



CPF1 20IGMPX

ST/STEEL



CPF1 20IGMPR

RED



CPF9GPOG

PYROLYTIC

90CM, PORTOFINO, COOKER WITH PYROLYTIC MULTIFUNCTION OVEN & GAS HOB, OLIVE GREEN



MAIN OVEN:



12 functions Inc Circulaire element with fan
Other functions: Defrost by time, Defrost by weight, Rising
20 automatic programmes
 Oven GROSS capacity: 129 litres
 Oven NET capacity: 115 litres
Large LCD display
Triple fan
 Air cooling system
 Closed door grilling
 Quadruple glazed door
 Removable inner door glass
Pyrolytic cleaning function
 Metal side supports, 5 cooking levels
Soft close door

ACCESSORIES INCLUDED:


2 extra deep trays (40mm deep), 1 grill mesh, 2 chrome shelves, 1 rotisserie kit, 1 set of partially extractable telescopic guides

Storage compartment beneath the oven

HOB:



6 burners
 Front left: Ultra rapid 4.20 kW
 Rear left: 1.00 kW
 Front centre: 1.00 kW
 Rear centre: 1.80 kW
 Front right: 1.80 kW
 Rear right: Rapid 3.00 kW
 Heavy duty cast iron pan stands
 Automatic electronic ignition
 Safety valves
 Adaptable for LPG



Nominal power: 4.0 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Portofino hoods

CPF9GPR

RED



CPF9GPWH

WHITE



CPF9GPAN

ANTHRACITE



CPF9GPBL

BLACK



CPF9GPYW

YELLOW



CPF9GPX

ST/STEEL



CPF9GPOR

ORANGE






CPF91PR

PYROLYTIC & INDUCTION

90CM, PORTOFINO, COOKER WITH PYROLYTIC MULTIFUNCTION OVEN & INDUCTION HOB, RED



MAIN OVEN:



12 functions Inc Circulaire element with fan
Other functions: Defrost by time, Defrost by weight, Rising
20 automatic programmes
 Oven GROSS capacity: 129 litres
 Oven NET capacity: 115 litres
Large LCD display
Triple fan
 Air cooling system
 Closed door grilling
 Quadruple grilling
 Removable inner door glass
Pyrolytic cleaning function
 Metal side supports, 5 cooking levels
Soft close door

ACCESSORIES INCLUDED:

2 extra deep trays (40mm deep), 1 grill mesh, 2 chrome shelves, 1 rotisserie kit, 1 set of partially extractable telescopic guides

Storage compartment beneath the oven

HOB:





5 full power induction zones
 Front left: Ø 145 mm, 1.40 kW (booster 2.20 kW)
 Rear left: 180 mm, 1.85 kW (booster 3.00 kW)
 Central: 270 mm, 2.60 kW (booster 3.70 kW)
 Rear right: 210 mm, 2.30 kW (booster 3.70 kW)
 Front right: 145 mm, 1.40 kW (booster 2.20 kW)
 Automatic safety cut-out

Nominal power: 11.4 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Portofino hoods



CPF91POG

OLIVE GREEN



CPF91PWH

WHITE



CPF91PAN

ANTHRACITE



CPF91POR

ORANGE



CPF91PBL

BLACK



CPF91PYW

YELLOW



CPF91PX

ST/STEEL



VICTORIA

Inspired by Smeg's very first 'Elisabeth' cooker produced in 1948, the Victoria range perfectly captures the essence of timeless classic design and exclusive aesthetics, thanks to Smeg's signature 1950's style branding and premium build quality.

Two differently styled cookers **Burghley** and **Blenheim** are based on the Victoria aesthetic, but with a more modest specification. These can be found towards the end of this section.




TR4110GR

110cm, VICTORIA, TRADITIONAL FOUR CAVITY COOKER WITH GAS HOB, SLATE GREY




MAIN OVEN: TOP RIGHT




- 7 functions inc Circulaire element with fan
- Oven GROSS capacity: 70 litres
- Oven NET capacity: 61 litres
- Digital electronic clock/programmer
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Vapor clean function
- Metal side supports, 4 cooking levels
- Side opening door

AUXILIARY OVEN: LOWER LEFT



- 7 functions inc upper & lower element with fan
- Oven GROSS capacity: 70 litres
- Oven NET capacity: 61 litres
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Vapor clean function
- Metal side supports, 4 cooking levels
- Side opening door

GRILL COMPARTMENT: TOP LEFT



- Oven GROSS capacity: 41 litres
- Oven NET capacity: 36 litres
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Metal side supports, 2 cooking levels
- Full variable grill, max power 2.7 kW

ACCESSORIES INCLUDED:

3 extra deep trays (40mm deep), 2 grill meshes, 5 chrome shelves, 2 sets of partially extractable telescopic guides

Storage drawer: Lower right - internal dimensions: H140 X W420 X D400mm

HOB:



- 7 burners
- Far left: Ultra rapid 4.20 kW
- Front left: 1.00 kW
- Rear left: 2.90 kW
- Front centre: 2.90 kW
- Rear centre: 1.00 kW
- Front right: 1.80 kW
- Rear right: 1.80 kW
- Heavy duty cast iron pan stands
- Automatic electronic ignition
- Safety valves
- Adaptable for LPG

Nominal power: 8.40 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Victoria hoods

TR4110BL1

GLOSS BLACK



TR4110RW1

RED WINE



TR4110P1

GLOSS CREAM



TR4110RO

PINK



TR4110AZ

PASTEL BLUE




TR4110X

ST/STEEL



NB: Available whilst stocks last

KIT1TR41X
KIT1TR41N



SPG110NE
SPG110P



TR4110IRW

INDUCTION

110cm, VICTORIA, TRADITIONAL FOUR CAVITY COOKER WITH INDUCTION HOB, RED WINE




MAIN OVEN: TOP RIGHT




7 functions inc Circulaire element with fan
 Oven GROSS capacity: 70 litres
 Oven NET capacity: 61 litres
 Digital electronic clock/programmer
 Air cooling system
 Closed door grilling
 Triple glazed removable door
 Removable inner door glass
 Vapor clean function
 Metal side supports, 4 cooking levels
 Side opening door

AUXILIARY OVEN: LOWER LEFT



7 functions inc upper & lower element with fan
 Oven GROSS capacity: 70 litres
 Oven NET capacity: 61 litres
 Air cooling system
 Closed door grilling
 Triple glazed removable door
 Removable inner door glass
 Vapor clean function
 Metal side supports, 4 cooking levels
 Side opening door

GRILL COMPARTMENT: TOP LEFT



Oven GROSS capacity: 41 litres
 Oven NET capacity: 36 litres
 Air cooling system
 Closed door grilling
 Triple glazed removable door
 Removable inner door glass
 Metal side supports, 2 cooking levels
 Full variable grill, max power 2.7 kW

ACCESSORIES INCLUDED:

3 extra deep trays (40mm deep), 2 grill meshes, 5 chrome shelves, 2 sets of partially extractable telescopic guides

Storage drawer: Lower right - internal dimensions: H140 X W420 X D400mm

HOB:



5 "full power" induction zones including
 Front left: Ø 175mm, 1.30 kW (booster 1.40 kW)
 Rear left: Ø 215mm, 2.30 kW (booster 3.00 kW)
 Centre: Ø 265mm, 2.30 kW (booster 3.00 kW)
 Rear right: Ø 215mm, 2.30 kW (booster 3.00 kW)
 Front right: Ø 175mm, 1.30 kW (booster 1.40 kW)
 Automatic safety cut-out

Nominal power: 19.5 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Victoria hoods



TR4110IBL

GLOSS BLACK



TR4110IP

GLOSS CREAM



TR4110IWH

WHITE



NB: Available whilst stocks last



TR4110IPG

PASTEL GREEN




TR4110IX

ST/STEEL



NB: Available whilst stocks last

KIT1TR41X
 KIT1TR41N




SPG110NE
 SPG110P

TR103P

100CM, VICTORIA, TRADITIONAL THREE CAVITY COOKER WITH GAS HOB, GLOSS CREAM



MAIN OVEN: LOWER LEFT




- 9 functions Inc Circulaire element with fan
- Oven GROSS capacity: 70 litres
- Oven NET capacity: 61 litres
- Digital electronic clock/programmer
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Vapor clean function
- Metal side supports, 4 cooking levels
- Side opening door

AUXILIARY OVEN: RIGHT




- Oven GROSS capacity: 94 litres
- Oven NET capacity: 84 litres
- Air cooling system
- Double glazed removable door
- Removable inner door glass
- Metal side supports, 9 cooking levels
- Side opening door

GRILL COMPARTMENT: TOP LEFT



- Oven GROSS capacity: 41 litres
- Oven NET capacity: 36 litres
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Metal side supports, 2 cooking levels
- Full variable grill, max power 2.7 kW

KIT1TR103



TR103BL

100CM, VICTORIA, TRADITIONAL THREE CAVITY COOKER WITH GAS HOB, GLOSS BLACK



ACCESSORIES INCLUDED:


2 extra deep trays (40mm deep), 1 grill mesh, 7 chrome shelves, 1 set of partially extractable telescopic guides

HOB:




- 6 burners
- Front left: Ultra rapid 4.20 kW
- Rear left: 1.00 kW
- Front centre: 1.00 kW
- Rear centre: 1.80 kW
- Front right: 1.80 kW
- Rear right: Rapid 2.90 kW
- Heavy duty cast iron pan stands
- Automatic electronic ignition
- Safety valves
- Adaptable for LPG

SPG10075NE
SPG10075P



Nominal power: 8.9 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Victoria hoods



TR103IP

INDUCTION

100CM, VICTORIA, TRADITIONAL THREE CAVITY COOKER WITH INDUCTION HOB, GLOSS CREAM



MAIN OVEN: LOWER LEFT



- 9 functions Inc Circulaire element with fan
- Oven GROSS capacity: 70 litres
- Oven NET capacity: 61 litres
- Digital electronic clock/programmer
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Vapor clean function
- Metal side supports, 4 cooking levels
- Side opening door

AUXILIARY OVEN: RIGHT



- Oven GROSS capacity: 94 litres
- Oven NET capacity: 84 litres
- Air cooling system
- Double glazed removable door
- Removable inner door glass
- Metal side supports, 9 cooking levels
- Side opening door

GRILL COMPARTMENT: TOP LEFT




- Oven GROSS capacity: 41 litres
- Oven NET capacity: 36 litres
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Metal side supports, 2 cooking levels
- Full variable grill, max power 2.7 kW

ACCESSORIES INCLUDED:

2 extra deep trays (40mm deep), 1 grill mesh, 7 chrome shelves, 1 set of partially extractable telescopic guides

KIT1TR103



TR103IBL

INDUCTION

100CM, VICTORIA, TRADITIONAL THREE CAVITY COOKER WITH INDUCTION HOB, GLOSS BLACK



HOB:




- 5 'full power' induction zones including
- Front left: Ø 180mm, 1.30 kW (booster 1.40 kW)
- Rear left: Ø 210mm, 2.30 kW (booster 3.00 kW)
- Centre: Ø 270mm, 2.30 kW (booster 3.00 kW)
- Rear right: Ø 180mm, 1.30 kW (booster 1.40 kW)
- Front right: Ø 210mm, 2.30 kW (booster 3.00 kW)

Nominal power: 20 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Victoria hoods

SPG10075NE
SPG10075P




TR93X

90CM, VICTORIA, TRADITIONAL THREE CAVITY COOKER WITH GAS HOB, ST/STEEL




MAIN OVEN: LOWER LEFT




- 9 functions Inc Circulaire element with fan
- Oven GROSS capacity: 70 litres
- Oven NET capacity: 61 litres
- Digital electronic clock/programmer
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Vapor clean function
- Metal side supports, 4 cooking levels
- Side opening door

AUXILIARY OVEN: RIGHT



- Circulaire element with fan
- Oven GROSS capacity: 69 litres
- Oven NET capacity: 62 litres
- Air cooling system
- Double glazed removable door
- Removable inner door glass
- Metal side supports, 9 cooking levels
- Side opening door

GRILL COMPARTMENT: TOP LEFT



- Oven GROSS capacity: 41 litres
- Oven NET capacity: 36 litres
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Metal side supports, 2 cooking levels
- Full variable grill, max power 2.7 kW



TR93P
Gloss cream

TR93BL

90CM, VICTORIA, TRADITIONAL THREE CAVITY COOKER WITH GAS HOB, GLOSS BLACK



ACCESSORIES INCLUDED:

2 extra deep trays (40mm deep), 1 grill mesh, 7 chrome shelves, 1 set of partially extractable telescopic guides

HOB:



- 6 burners
- Front left: Ultra rapid 4.20 kW
- Rear left: 1.00 kW
- Front centre: 1.00 kW
- Rear centre: 1.80 kW
- Front right: 1.80 kW
- Rear right: 2.90 kW
- Heavy duty cast iron pan stands
- Automatic electronic ignition
- Safety valves
- Adaptable for LPG


Nominal power: 8.3 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere require

NB: See hood section for matching Victoria hoods

SPG9075NE
SPG9075P
SPG9075S



KIT1TR9N
KIT1TR9X



TR93IP

INDUCTION

90CM, VICTORIA, TRADITIONAL THREE CAVITY COOKER WITH INDUCTION HOB, GLOSS CREAM



MAIN OVEN: LOWER LEFT




- 9 functions Inc Circulaire element with fan
- Oven GROSS capacity: 70 litres
- Oven NET capacity: 61 litres
- Digital electronic clock/programmer
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Vapor clean function
- Metal side supports, 4 cooking levels
- Side opening door

AUXILIARY OVEN: RIGHT



- Circulaire element with fan
- Oven GROSS capacity: 69 litres
- Oven NET capacity: 62 litres
- Air cooling system
- Double glazed removable door
- Removable inner door glass
- Metal side supports, 9 cooking levels
- Side opening door

GRILL COMPARTMENT: TOP LEFT



- Oven GROSS capacity: 41 litres
- Oven NET capacity: 36 litres
- Air cooling system
- Closed door grilling
- Triple glazed removable door
- Removable inner door glass
- Metal side supports, 2 cooking levels
- Full variable grill, max power 2.7 kW



TR93IX
St/ steel

TR93IBL

INDUCTION

90CM, VICTORIA, TRADITIONAL THREE CAVITY COOKER WITH INDUCTION HOB, GLOSS BLACK



ACCESSORIES INCLUDED:

2 extra deep trays (40mm deep), 1 grill mesh, 7 chrome shelves, 1 set of partially extractable telescopic guides


HOB:



- 5 full power induction zones
- Front left: Ø 180 mm, 1.30 kW (booster 1.40 kW)
- Rear left: Ø 210 mm, 2.30 kW (booster 3.00 kW)
- Centre: Ø 270 mm, 2.30 kW (booster 3.00 kW)
- Rear right: Ø 180 mm, 1.30 kW (booster 1.40 kW)
- Front right: Ø 210 mm, 2.30 kW (booster 3.00 kW)
- Automatic safety cut-out

Nominal power: 19.4 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Victoria hoods





TR90P9

90cm, VICTORIA, TRADITIONAL COOKER WITH MULTIFUNCTION OVEN & GAS HOB, GLOSS CREAM





TR90BL9

90cm, VICTORIA, TRADITIONAL COOKER WITH MULTIFUNCTION OVEN & GAS HOB, GLOSS BLACK



MAIN OVEN:



10 functions Inc Circulaire element with fan

Oven GROSS capacity: 129 litres

Oven NET capacity: 115 litres

Digital electronic clock/programmer

Double fan

Air cooling system

Closed door grilling

Triple glazed removable door

Removable inner door glass

Vapor clean function

Metal side supports, 5 cooking levels

Soft close door

ACCESSORIES INCLUDED:

2 extra deep trays (40mm deep), 1 grill mesh, 2 chrome shelves, 1 rotisserie kit

Pull out full width storage drawer beneath the oven

HOB:



5 burners

Front left: Rapid 2.90 kW

Rear left: 1.80 kW

Central: Ultra rapid 5.00 kW

Rear right: 1.80 kW

Front right: 1.00 kW

Heavy duty cast iron pan stands

Automatic electronic ignition

Safety valves

Adaptable for LPG

Nominal power: 3.2 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement


NB: See hood section for matching Victoria hoods




TR90X9
St/steel



SPG9075NE
SPG9075P
SPG9075S



KIT1TR9N
KIT1TR9X




TR62P

60CM, VICTORIA, TRADITIONAL DUAL CAVITY COOKER WITH GAS HOB, GLOSS CREAM



MAIN OVEN:



Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Digital electronic clock/programmer
Air cooling system
Double glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels

AUXILIARY OVEN:



4 functions Inc Upper & lower element
Oven GROSS capacity: 41 litres
Oven NET capacity: 35 litres
Air cooling system
Closed door grilling
Double glazed removable door
Removable inner door glass
Metal side supports, 2 cooking levels

ACCESSORIES INCLUDED:

2 extra deep trays (40mm deep), 2 grill meshes, 3 chrome shelves, 1 set of totally extractable telescopic guides

HOB: TR62P & TR62BL



4 burners
Front left: Ultra rapid 4.20 kW
Rear left: 1.80 kW
Rear right: 1.80 kW
Front right: 1.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

TR62IBL

INDUCTION

60CM, VICTORIA, TRADITIONAL DUAL CAVITY COOKER WITH INDUCTION HOB, GLOSS BLACK



HOB: TR62IP & TR62IBL





4 full power induction zones
Front left: Ø 180 mm, 1.85 kW (booster 3.00 kW)
Rear left: Ø 180 mm, 1.85 kW (booster 3.00 kW)
Rear right: Ø 210 mm, 2.30 kW (booster 3.70 kW)
Front right: Ø 145 mm, 1.40 kW (booster 2.20 kW)
Automatic safety cut-out

Nominal power: 5.5 kW (TR62P/BL), 12.7 kW (TR62IP/IBL)
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Victoria hoods

SPG6075NE
SPG6075P



TR62IP

Gloss cream




BU93BL

90CM, BURGHLEY, THREE CAVITY COOKER WITH GAS HOB, GLOSS BLACK




MAIN OVEN: LOWER LEFT




Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Digital electronic clock/programmer
Air cooling system
Triple glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels
Side opening door

AUXILIARY OVEN: RIGHT



Circulaire element with fan
Oven GROSS capacity: 69 litres
Oven NET capacity: 62 litres
Air cooling system
Double glazed removable door
Metal side supports, 9 cooking levels
Side opening door

GRILL COMPARTMENT: TOP LEFT



Oven GROSS capacity: 41 litres
Oven NET capacity: 35 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 2 cooking levels
Full variable grill, max power 2.7 kW

BU93P

90CM, BURGHLEY, THREE CAVITY COOKER WITH GAS HOB, GLOSS CREAM



ACCESSORIES INCLUDED:

6 chrome shelves, 1 extra deep tray (40mm deep), 1 grill mesh


HOB:



5 burners
Front left: Rapid 2.90 kW
Rear left: 1.80 kW
Central: Ultra rapid 4.00 kW
Rear right: 1.80 kW
Front right: 1.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 7.3 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

SPG9075P
SPG9075NE



BM93P

90CM, BLENHEIM, THREE CAVITY COOKER WITH GAS HOB, GLOSS CREAM



MAIN OVEN: LOWER LEFT




Circulaire element with fan
Oven GROSS capacity: 68 litres
Oven NET capacity: 61 litres
Digital electronic clock/programmer
Air cooling system
Triple glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels
Side opening door

AUXILIARY OVEN: RIGHT



Circulaire element with fan
Oven GROSS capacity: 69 litres
Oven NET capacity: 62 litres
Air cooling system
Double glazed removable door
Metal side supports, 9 cooking levels
Side opening door

GRILL COMPARTMENT: TOP LEFT



Oven GROSS capacity: 41 litres
Oven NET capacity: 35 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 2 cooking levels
Full variable grill, max power 2.7 kW

ACCESSORIES INCLUDED:

6 chrome shelves, 1 extra deep tray (40mm deep), 1 grill mesh

HOB:




5 burners
Front left: Rapid 2.90 kW
Rear left: 1.80 kW
Centre: Ultra rapid 4.00 kW
Rear right: 1.80 kW
Front right: 1.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 7.3 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Available whilst stocks last

SPG9075P
SPG9075NE



SYMPHONY

The aesthetic style of the Symphony range conveys the look and feel of a specialist kitchen in a domestic environment.

Characterised by a contemporary and distinctive square design, ergonomic control knobs and stainless steel handles, this range is a clear extension of the Classic family.






SYD4110

110cm, SYMPHONY, FOUR CAVITY COOKER WITH GAS HOB, FINGER FRIENDLY ST/STEEL




MAIN OVEN: TOP RIGHT



7 functions Inc Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Digital electronic clock/programmer
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 4 cooking levels
Side opening door

AUXILIARY OVEN: LOWER LEFT



7 functions Inc Upper & lower element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 4 cooking levels
Side opening door

GRILL COMPARTMENT: TOP LEFT



Oven GROSS capacity: 41 litres
Oven NET capacity: 36 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 2 cooking levels



SYD4110BL
Gloss black



Full variable grill, max power 2.7 kW

ACCESSORIES INCLUDED:

3 extra deep trays (40mm deep), 2 grill meshes, 5 chrome shelves, 2 sets of partially extractable telescopic guides

Storage drawer: Lower right - Internal dimensions: H160 X W375 X D390mm

HOB:



KITS110X8


7 burners
Left: Ultra rapid 4.20 kW
Front left: 1.00 kW
Rear left: Rapid 2.90 kW
Front centre: Rapid 2.90 kW
Rear centre: 1.00 kW
Front right: 1.80 kW
Rear right: 1.80 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG



Nominal power: 8.4 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Symphony hoods






SYD4110IBL

INDUCTION

110cm, SYMPHONY, FOUR CAVITY COOKER WITH INDUCTION HOB, GLOSS BLACK




MAIN OVEN: TOP RIGHT




7 functions Inc Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Digital electronic clock/programmer
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 4 cooking levels
Side opening door

AUXILIARY OVEN: LOWER LEFT



7 functions Inc Upper & Lower element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 4 cooking levels
Side opening door

GRILL COMPARTMENT: TOP LEFT



Oven GROSS capacity: 41 litres
Oven NET capacity: 36 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass



SYD4110I
St/steel



Metal side supports, 2 cooking levels
Full variable grill, max power 2.7 kW

ACCESSORIES INCLUDED:

3 extra deep trays (40mm deep), 2 grill meshes, 5 chrome shelves, 2 sets of partially extractable telescopic guides

Storage drawer: Lower right - Internal dimensions: H160 X W375 X D390mm


HOB:



5 full power induction zones
Front left: Ø 180 mm, 1.30 kW (booster 1.40 kW)
Rear left: Ø 210 mm, 2.30 kW (booster 3.00 kW)
Centre: Ø 270 mm, 2.30 kW (booster 3.00 kW)
Rear right: Ø 210 mm, 2.30 kW (booster 3.00 kW)
Front right: Ø 180 mm, 1.30 kW (booster 1.40 kW)
Automatic safety cut-out

Nominal power: 19.5 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: See hood section for matching Symphony hoods




SY93

90CM, SYMPHONY, THREE CAVITY COOKER WITH GAS HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN: LOWER LEFT




9 functions Inc Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Digital electronic clock/programmer
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 4 cooking levels
Side opening door

AUXILIARY OVEN: RIGHT



Circulaire element with fan
Oven GROSS capacity: 69 litres
Oven NET capacity: 62 litres
Air cooling system
Double glazed removable door
Removable inner door glass
Metal side supports, 9 cooking levels
Side opening door

GRILL COMPARTMENT: TOP LEFT



Oven GROSS capacity: 41 litres
Oven NET capacity: 36 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 2 cooking levels
Full variable grill, max power 2.7 kW

SY93BL

90CM, SYMPHONY, THREE CAVITY COOKER WITH GAS HOB, GLOSS BLACK



ACCESSORIES INCLUDED:


2 extra deep trays (40mm deep), 1 grill mesh, 7 chrome shelves, 1 set of partially extractable telescopic guides

HOB:



6 burners
Front left: Ultra rapid 4.20 kW
Rear left: 1.00 kW
Front centre: 1.00 kW
Rear centre: 1.80 kW
Front right: 1.80 kW
Rear right: 2.90 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 8.3 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement



SY93I

INDUCTION

90CM, SYMPHONY, THREE CAVITY COOKER WITH INDUCTION HOB, ST/STEEL



MAIN OVEN: LOWER LEFT




9 functions Inc Circulaire element with fan
Oven GROSS capacity: 68 litres
Oven NET capacity: 61 litres
Digital electronic clock/programmer
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 4 cooking levels
Side opening door

AUXILIARY OVEN: RIGHT



Circulaire element with fan
Oven GROSS capacity: 69 litres
Oven NET capacity: 62 litres
Air cooling system
Double glazed removable door
Removable inner door glass
Metal side supports, 9 cooking levels
Side opening door

GRILL COMPARTMENT: TOP LEFT



Oven GROSS capacity: 41 litres
Oven NET capacity: 36 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 2 cooking levels
Full variable grill, max power 2.7 kW

SY93IBL

INDUCTION


90CM, SYMPHONY, THREE CAVITY COOKER WITH INDUCTION HOB, GLOSS BLACK



ACCESSORIES INCLUDED:


2 extra deep trays (40mm deep), 1 grill mesh, 7 chrome shelves, 1 set of partially extractable telescopic guides

HOB:



5 full power induction zones
Front left: Ø 180 mm, 1.30 kW (booster 1.40 kW)
Rear left: Ø 210 mm, 2.30 kW (booster 3.00 kW)
Centre: Ø 270 mm, 2.30 kW (booster 3.00 kW)
Rear right: Ø 180 mm, 1.30 kW (booster 1.40 kW)
Front right: Ø 210 mm, 2.30 kW (booster 3.00 kW)
Automatic safety cut-out

Nominal power: 19.4 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement



SY92PX9

PYROLYTIC

90CM, SYMPHONY DUAL CAVITY COOKER WITH PYROLYTIC MULTIFUNCTION OVEN & GAS HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN:



10 functions Inc Circulaire element with fan
Oven GROSS capacity: 79 litres
Oven NET capacity: 70 litres
Touch display
Eclipse glass
Air cooling system
Closed door grilling
Quadruple glazed removable door
Removable inner door glass
Pyrolytic cleaning function
Metal side supports, 5 cooking levels

AUXILIARY OVEN:




4 functions inc upper & lower element with fan
Oven GROSS capacity: 36 litres
Oven NET capacity: 35 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels

ACCESSORIES INCLUDED:

1 extra deep tray (40mm deep), 2 grill meshes, 3 chrome shelves,
1 set of partially extractable telescopic guides, 1 baking tray,

Storage compartment beneath the oven
Silver feet and black plinth provided



KITC9X

SY92IPX9

PYROLYTIC & INDUCTION

90CM, SYMPHONY DUAL CAVITY COOKER WITH PYROLYTIC MULTIFUNCTION OVEN & INDUCTION HOB, FINGER FRIENDLY ST/STEEL



HOB: SY92PX9




6 burners
Front left: Ultra rapid 4.20 kW
Rear left: 1.00 kW
Front centre: 1.00 kW
Rear centre: 1.80 kW
Front right: 1.80 kW
Rear right: Rapid 3.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

HOB: SY92IPX9



5 full power induction zones
Front left: Ø 210mm, 2.10 kW (booster 2.30 kW)
Rear left: Ø 210mm, 1.60 kW (booster 1.85 kW)
Centre: Ø 270mm, 2.30 kW (booster 3.00 kW)
Rear right: Ø 180mm, 1.20 kW (booster 1.40 kW)
Front right: Ø 210mm, 2.30 kW (booster 3.00 kW)
Automatic safety cut-out

Nominal power: 5.20 kW (SY92PX9), 1.5.40 kW (SY92IPX9)
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement



NB: Height with plinth installed is fixed at 900mm


C7GPX9

PYROLYTIC

70CM, SYMPHONY COOKER WITH PYROLYTIC MULTIFUNCTION OVEN & GAS HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN:




10 functions Inc Circulaire element with fan
Oven GROSS capacity: 79 litres
Oven NET capacity: 70 litres
Touch display
Eclipse glass
Air cooling system
Closed door grilling
Quadruple glazed removable door
Removable inner door glass
Pyrolytic cleaning function
Metal side supports, 5 cooking levels

ACCESSORIES INCLUDED:

1 extra deep tray (40mm deep), 1 grill mesh, 2 chrome shelves,
1 set of partially extractable telescopic guides

Storage compartment beneath the oven
Silver feet



HOB:



5 burners
Front left: 1.00 kW
Rear left: 1.80 kW
Centre: Ultra rapid 4.20 kW
Rear right: 1.80 kW
Front right: 1.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 3.00 kW
13 Amp power supply required

KITC7X




SY62MX9

60CM, SYMPHONY COOKER WITH DOUBLE OVEN & GAS HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN:



7 functions Inc Circulaire element with fan

Other functions: Defrost by time

Oven GROSS capacity: 70 litres

Oven NET capacity: 61 litres

Touch display

Eclipse glass

Air cooling system

Closed door grilling


Triple glazed removable door

Removable inner door glass

Vapor clean function

Metal side supports, 4 cooking levels

AUXILIARY OVEN:



4 functions Inc Upper & lower element

Oven GROSS capacity: 41 litres

Oven NET capacity: 35 litres

Air cooling system

Closed door grilling

Double glazed removable door

Removable inner door glass

Metal side supports, 2 cooking levels

ACCESSORIES INCLUDED:

1 roasting/grill pan (20mm deep), 2 extra deep trays (40mm deep), 2 grill meshes, 1 set of partially extractable telescopic guides, 2 chrome shelves

HOB:



4 burners

Front left: Ultra rapid 4.20 kW

Rear left: 1.80 kW

Rear right: 1.80 kW

Front right: 1.00 kW

Heavy duty cast iron pan stands


Automatic electronic ignition

Safety valves

Adaptable for LPG

Nominal power: 5.5 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement



KITC6X


SY6CPX9

PYROLYTIC

60CM, SYMPHONY COOKER WITH PYROLYTIC MULTIFUNCTION OVEN & CERAMIC HOB, FINGER FRIENDLY ST/STEEL



MAIN OVEN:



10 functions Inc Circulaire element with fan

Oven GROSS capacity: 79 litres

Oven NET capacity: 70 litres

Touch display

Eclipse glass

Air cooling system

Closed door grilling

Quadruple glazed removable door

Removable inner door glass

Pyrolytic cleaning function

Metal side supports, 5 cooking levels

ACCESSORIES INCLUDED:

1 extra deep tray (40mm deep), 1 grill mesh, 2 chrome shelves,

1 set of partially extractable telescopic guides

Storage compartment beneath the oven

Silver feet and black plinth provided

HOB:



4 high-light radiant zones

Front left: Ø 120/210 mm, 0.75/2.20 kW


Rear left: Ø 140 mm, 1.20 kW

Rear right: Ø 265 X 170 mm, 2.20 kW

Front right: Ø 180 mm, 1.80 kW

Nominal power: 10.4 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirements



KITC6X

CONCERT

The Concert collection has a distinctive design with softly rounded top, flat cast iron pan stands, solid stylish doors, and Classic controls and handles.

These appliances are practical, easy to use and produce great results whilst looking good in your kitchen.




SUK92MX9-1

90CM, CONCERT, DUAL CAVITY COOKER WITH MULTIFUNCTION OVEN & GAS HOB, STAINLESS STEEL




MAIN OVEN:



7 functions Inc Circulaire element with fan
Oven GROSS capacity: 79 litres
Oven NET capacity: 70 litres
Digital electronic clock/programmer
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 5 cooking levels

AUXILIARY OVEN:



4 functions Inc Upper & lower element
Oven GROSS capacity: 36 litres
Oven NET capacity: 35 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels

ACCESSORIES INCLUDED:

1 roasting/grill pan (20mm deep), 1 baking tray, 1 extra deep tray (40mm deep), 2 grill meshes, 2 chrome shelves, 1 set of partially extractable telescopic guides

Storage compartment beneath the oven
St/steel feet and black plinth provided



SUK92P-9
Gloss Cream

NB: Available whilst stocks last

SUK92MBL9-1

90CM, CONCERT, DUAL CAVITY COOKER WITH MULTIFUNCTION OVEN & GAS HOB, GLOSS BLACK




HOB:



5 burners
Front left: Rapid 3.00 kW
Rear left: 1.80 kW
Centre: Ultra rapid 3.50 kW
Rear right: 1.80 kW
Front right: 1.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 4.8 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement



NB: Height with plinth installed is fixed at 900mm

SUK92CBL9

90CM, CONCERT, DUAL CAVITY COOKER WITH MULTIFUNCTION OVEN & CERAMIC HOB, GLOSS BLACK




MAIN OVEN:



7 functions Inc Circulaire element with fan
Oven GROSS capacity: 79 litres
Oven NET capacity: 70 litres
Digital electronic clock/programmer
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 5 cooking levels

AUXILIARY OVEN:



4 functions Inc Upper & lower element
Oven GROSS capacity: 36 litres
Oven NET capacity: 35 litres
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels

ACCESSORIES INCLUDED:

1 roasting/grill pan (20mm deep), 1 extra deep tray (40mm deep), 2 grill meshes, 2 chrome shelves, 1 baking tray,

Storage compartment beneath the oven
Silver feet and black plinth provided

SUK92CMX9

90CM, CONCERT, DUAL CAVITY COOKER WITH MULTIFUNCTION OVEN & CERAMIC HOB, ST/STEEL




HOB:



5 radiant 'high-light' zones
Front left: Ø 140 mm, 1.20 kW
Rear left: Ø 200 mm, 2.00 kW
Centre: Ø 170 x 265 mm oval, 1.40 - 2.20 kW
Rear right: Ø 120/210 mm, 0.7 - 2.00 kW
Front right: Ø 140 mm, 1.20 kW
Automatic safety cut-out

Nominal power: 14.1 kW
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement




NB: Height with plinth installed is fixed at 900mm

SUK91MFX9

90cm, CONCERT, COOKER WITH MULTIFUNCTION OVEN & GAS HOB, ST/STEEL



MAIN OVEN:



9 functions Inc Circulaire element with fan

Oven GROSS capacity: 129 litres
Oven NET capacity: 115 litres

Digital electronic clock/programmer

Double fan

Air cooling system

Closed door grilling

Triple glazed removable door

Removable inner door glass

Vapor clean function

Metal side supports, 5 cooking levels

ACCESSORIES INCLUDED:

1 roasting/grill pan (20mm deep), 1 extra deep tray (40mm deep),
2 chrome shelves, 1 rotisserie kit

Storage compartment beneath the oven

HOB: SUK91MFX9 & SUK91MBL9



5 burners

Front left: Rapid 2.90 kW

Rear left: 1.80 kW

Centre: Ultra rapid 4.00 kW

Rear right: 1.80 kW

Front right: 1.00 kW

Heavy duty cast iron pan stands

Automatic electronic ignition



Safety valves

Adaptable for LPG



SUK91MBL9

Gloss Black



NB: Height with plinth installed is fixed at 900mm

SUK91CMX9

90cm, CONCERT, COOKER WITH MULTIFUNCTION OVEN & CERAMIC HOB, ST/STEEL



HOB: SY91CMX9



5 radiant 'high-light' zones

Front left: Ø 140 mm, 1.20 kW

Rear left: Ø 200 mm, 2.00 kW

Centre: Ø 170 x 265 mm oval, 1.40 - 2.20 kW

Rear right: Ø 120/210 mm, 0.70 - 2.00 kW

Front right: Ø 140 mm, 1.20 kW

Automatic safety cut-out

Nominal power: 3.2 kW (SUK91MFX9/MBL9), 11.8 kW (SUK91CMX9)

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement




SUK62MX8

60CM, CONCERT, COOKER WITH DOUBLE OVEN & GAS HOB, ST/STEEL



MAIN OVEN:



Circulaire element with fan
Oven GROSS capacity: 70 litres
Oven NET capacity: 61 litres
Digital electronic clock/programmer
Air cooling system
Double glazed removable door
Removable inner door glass
Metal side supports, 4 cooking levels

AUXILIARY OVEN:



4 functions Inc Upper & lower element
Oven GROSS capacity: 41 litres
Oven NET capacity: 35 litres
Air cooling system
Closed door grilling
Double glazed removable door
Removable inner door glass
Metal side supports, 2 cooking levels

ACCESSORIES INCLUDED:

2 extra deep trays (40mm deep), 2 grill meshes, 2 chrome shelves



SUK62MBL8
Gloss black

SUK62CMX8

60CM, CONCERT, COOKER WITH DOUBLE OVEN & CERAMIC HOB, ST/STEEL



HOB: SUK62MX8 & SUK62MBL8



4 burners
Front left: Ultra rapid 3.50 kW
Rear left: 1.75 kW
Rear right: 1.75 kW
Front right: 1.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG



HOB: SUK62CMX8



4 radiant 'high-light' zones
Front left: Ø 120 - 210mm, 0.75 - 1.45 kW
Rear left: Ø 140mm, 1.20 kW
Rear right: Ø 170 x 265mm oval, 2.20 kW
Front right: Ø 180mm, 1.80 kW
Automatic safety cut-out

Nominal power: 5.5 kW (SUK62MX8/MBL8), 12.90 kW (SUK62CMX8)
Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

KIT60X



SUK61PX8

PYROLYTIC

60CM, CONCERT, COOKER WITH MULTIFUNCTION PYROLYTIC OVEN & GAS HOB, ST/STEEL



MAIN OVEN:




10 functions Inc Circulaire element with fan
Oven GROSS capacity: 79 litres
Oven NET capacity: 70 litres
Digital electronic clock/programmer
Air cooling system
Closed door grilling
Quadruple glazed removable door
Removable inner door glass
Pyrolytic cleaning function
Metal side supports, 5 cooking levels

ACCESSORIES INCLUDED:

1 roasting/grill pan (20mm deep),
1 extra deep tray (40mm deep),
1 grill mesh, 1 chrome shelf

Storage compartment beneath the oven
Silver feet & black plinth provided


HOB:



4 burners
Front left: Ultra rapid 3.50 kW
Rear left: 1.75 kW
Rear right: 1.75 kW
Front right: 1.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 3.0 kW
13 Amp power supply required

KIT60PX




NB: Height with plinth installed is fixed at 900mm

SUK61MX9

60CM, CONCERT, COOKER WITH MULTIFUNCTION OVEN & GAS HOB, ST/STEEL



MAIN OVEN:



6 functions inc Circulaire element with fan
Oven GROSS capacity: 79 litres
Oven NET capacity: 70 litres
Digital electronic clock/programmer
Air cooling system
Closed door grilling
Triple glazed removable door
Removable inner door glass
Vapor clean function
Metal side supports, 5 cooking levels

ACCESSORIES INCLUDED:

1 extra deep tray (40mm deep), 1 grill mesh, 1 chrome shelf

Storage compartment beneath the oven
Silver feet & black plinth provided


HOB:



4 burners
Front left: Ultra rapid 3.50 kW
Rear left: 1.75 kW
Rear right: 1.75 kW
Front right: 1.00 kW
Heavy duty cast iron pan stands
Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 2.90 kW
13 Amp power supply required

KIT60X



SUK61MBL9
Black

GC120

CAST IRON RIBBED GRIDDLE




The **GC120** can replace a pan stand on **Opera** 120cm & 150cm dual fuel range cookers to provide a griddle plate.



BGCPF9

CAST IRON RIBBED GRIDDLE



The **BGCPF9** can replace a pan stand on 90cm **Portofino** range cookers with gas hob top. Also available **BG6090-1** Suitable for **Blenheim** cookers.



BGTR4110

CAST IRON RIBBED GRIDDLE



The **BGTR4110** can replace a pan stand on 110cm **Victoria** or **Symphony** cookers with gas hob tops. Also available **BGTR9** for 90cm and 100cm **Victoria** cookers.

PRTX

PIZZA STONE WITH HANDLES



Refractory pizza stone with handles suitable for use with ovens where the bottom of the cavity is embossed.

PPR2

UNIVERSAL PIZZA STONE



Rectangular pizza stone without handles for 60cm cookers. Also available **PPR9** for 90cm cookers.

PALPZ

PIZZA SHOVEL



Pizza shovel with fold away handle.

TPKX


TEPPANYAKI GRILL PLATE



Stainless Steel grill plate designed for cooking Teppanyaki dishes. Suitable for all **Opera** cookers with gas hob tops.

TPKCPF9

TEPPANYAKI GRILL PLATE



Stainless Steel and cast iron grill plate designed for cooking Teppanyaki dishes. Suitable for 90cm **Portofino** cookers with gas hob tops.



TPKTR

TEPPANYAKI GRILL PLATE



Stainless Steel and cast iron grill plate designed for cooking Teppanyaki dishes. Suitable for **Victoria** cookers. Also available **PPX6090-1** Suitable for **Blenheim** and **Burghley** cookers.

GTA-6

3 LEVEL TELESCOPIC SHELF SET



Telescopic shelf set with 3 levels suitable for use with **A3-81** and **A5-81** (left oven only).

GT1T-2

PAIR OF FULLY EXTRACTABLE TELESCOPIC GUIDES (1 LEVEL)



Pair of fully extractable telescopic guides suitable for use on some ovens with metal side supports. Also available **GT1P-2** - Pair of partially extractable telescopic guides (1 level).

PR7A2

PLATE WARMING RACK



The **PR7A2** is a chrome 7-plate warming rack which fits the small oven in the **A2** and **SUK92** range cooker.

TBX6090

TEPPANYAKI GRILL PLATE



The **TBX6090** is a Stainless Steel grill plate, designed for cooking Teppanyaki dishes. Suitable for **Symphony** and **Concert** cookers with cast iron pan stands.

WOKGHU

CAST IRON WOK SUPPORT



The **WOKGHU** offers additional stability when using a wok. Suitable for most cookers.

KIT1TR41N

110CM TRADITIONAL SPLASHBACK



110cm splashback for TR4110 cookers, Black.
Also available in Stainless Steel - KIT1TR41X.

KIT1TR103

100CM TRADITIONAL SPLASHBACK



100cm splashback for TR103 cookers, Black.

KIT1TR9X

90CM TRADITIONAL SPLASHBACK



90cm splashback for TR93 cookers, Stainless steel.
Also available in Black - KIT1TR9N.

GLASS SPLASHBACKS

A number of eye-catching glass splashbacks are included in the Smeg range, that are available in a wide choice of inspiring colours and sizes to enhance the diverse range of appliances.

Splashbacks are a practical addition to any kitchen as they are easy to clean, with no grout lines to collect dirt or grease. They are also a very cost effective alternative to tiles that are simple and easy to install and result in a smooth and seamless finish.

The table shows the various colours and dimensions available.

SPLASHBACKS						
DIMENSIONS		60cm W x 75cm H	75cm W x 75cm H	90cm W x 75cm H	100cm W x 75cm H	110cm W x 75cm H
Glass colour		MODELS N°s	MODELS N°s	MODELS N°s	MODELS N°s	MODELS N°s
BLACK		SPG6075NE		SPG9075NE	SPG10075NE	SPG110NE
CREAM		SPG6075P		SPG9075P	SPG10075P	SPG110P
RED		SPG6075R		SPG9075R		
PASTEL BLUE		SPG6075AZ		SPG9075AZ		
LIME		SPG6075VE		SPG9075VE		
SILVER		SPG6075S	SPG7575S	SPG9075S		

NB: Red, pastel blue, lime and silver glass splashbacks shown in the table above will only be available whilst stocks last.



MICROWAVES

The first of its kind, the Smeg freestanding microwave offers elegant design and outstanding performance.

Inverter technology provides great time and energy savings.



MOE34CXIUK

COMBINATION MICROWAVE OVEN WITH INVERTER TECHNOLOGY, ST/STEEL






- 10 functions
- 10 automatic programmes
- 40 preset recipes
- Inverter technology
- Electronic timer
- Tilting Grill
- Grill: 1100 W
- Microwave Output Power: 1100 W
- St/Steel interior
- Combination Microwave
- Air cooling system
- Automatic calculation of defrosting by time or weight
- Child Safety Lock

STANDARD ACCESSORIES:

For a full list of accessories included please see www.smeguk.com

GROSS capacity: 35 litres
NET capacity: 34 litres



INVERTER TECHNOLOGY

This microwave uses Inverter technology which provides continuous and precise emissions of microwaves, so it is possible to cook and defrost food in a more gradual and consistent way, producing a difference you can really taste!

Non-inverter microwaves use pulsing power control which turns the microwaves on-off, whilst Inverter technology provides continuous microwaves at precise temperatures so there are no abrupt temperature peaks, more accurate temperature control is possible, and taste, nutrients and vitamins are well preserved. The continuous flow of microwaves (at a precise power level) speeds up cooking, defrosting and re-heating programmes, making this microwave approximately 30% quicker than a standard one.



MICROWAVES

HOODS

Hoods play an important role in the kitchen, both aesthetic and functional. Designed to offer the best combination of style and performance, Smeg hoods reflect the elegance of all Smeg aesthetic lines.



AESTHETIC RANGE
unique styles

Smeg hoods are reliable and functional and are available in a variety of finishes and styles, a selection of which have been shown in this brochure, designed to co-ordinate with your Smeg cooker as well as other appliances within the Smeg range. For the full range visit www.smeguk.com



OPERA



PORTOFINO



VICTORIA



RETRO

FEATURES AT A GLANCE
interpreting needs

At the design stage, attention to detail in terms of style is combined with technical development which ensures that Smeg hoods will operate as quietly as possible, whilst achieving excellent extraction performances.



All Smeg hoods now include energy efficient LED lights. These lights are long lasting, save money and perfectly illuminate the work surface below. They can be switched on regardless of the fans, and used simply to create ambience lighting in the kitchen.

A large number of hoods in the range have an energy efficiency class of A+.



AUTOMATIC SWITCH-OFF

A special setting switches off both the extraction and the lights, after a predefined time, during which the hood keeps on purifying the air until it turns off automatically.



TURBO FUNCTION


Intensive/Turbo setting is available when extra fast extraction is required.



WARNING LIGHTS

Warning lights let you know when filters need to be changed.


Most Smeg hoods can operate in either a ducted or recirculation mode. The best extraction performance is achieved in the ducted mode, the preferred choice wherever possible.



DUCTED HOOD

Extracts the cooking fumes and expels them outside, using a vent kit (available as an accessory). The diameter of the ducting hose should match the vent outlet of the hood.

Further information on vent kits can be found in the Glossary section.




RECIRCULATED HOOD

Extracts the cooking fumes and passes them through active charcoal filters (available as an accessory), recirculating the cleaned air back into the room.

KD150HXE

150CM, OPERA, CHIMNEY HOOD, STAINLESS STEEL



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	292	415	626	787
Noise level IEC 60704-2-13	49	58	67	72


1 high performance motor, 275W
2 controls
3 speeds, plus intensive
4 x 1W LED lights
5 st/steel grease filters (dishwasher safe)
Internal re-circulation possible
Vent outlet Ø 150 mm
Nominal power: 279W

Min clearance required when installing above electric hobs: 650mm
Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A
Grease filtering efficiency class: D
Lighting efficiency class: A


OPTIONAL EXTRAS:

Charcoal filter: FLT6



KD120HXE

120CM, OPERA, CHIMNEY HOOD, STAINLESS STEEL



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	287	389	606	777
Noise level IEC 60704-2-13	49	58	67	73


1 high performance motor, 275W
2 controls
3 speeds, plus intensive
4 x 4W LED lights
4 st/steel grease filters (dishwasher safe)
Internal re-circulation possible
Vent outlet Ø 150 mm
Nominal power: 179W

Min clearance required when installing above electric hobs: 650mm
Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A
Grease filtering efficiency class: D
Lighting efficiency class: A


OPTIONAL EXTRAS:

Charcoal filter: FLT6



KD100HXE

100CM, OPERA, CHIMNEY HOOD, STAINLESS STEEL



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	297	431	639	792
Noise level IEC 60704-2-13	49	58	67	72


1 high performance motor, 275W
2 controls
3 speeds, plus intensive
2 x 1W LED lights
3 st/steel grease filters (dishwasher safe)
Internal re-circulation possible
Vent outlet Ø 150 mm
Nominal power: 277W

Min clearance required when installing above electric hobs: 650mm
Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A
Grease filtering efficiency class: D
Lighting efficiency class: A

OPTIONAL EXTRAS:


Charcoal filter: FLT6



KD100HNE
Black

KD90HXE

90CM, OPERA, CHIMNEY HOOD, STAINLESS STEEL



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	288	421	630	781
Noise level IEC 60704-2-13	48	63	67	72


1 high performance motor, 275W
2 controls
3 speeds, plus intensive
2 x 1W LED lights
3 st/steel grease filters (dishwasher safe)
Internal re-circulation possible
Vent outlet Ø 150 mm
Nominal power: 277W

Min clearance required when installing above electric hobs: 650mm
Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A
Grease filtering efficiency class: C
Lighting efficiency class: A

OPTIONAL EXTRAS:

Charcoal filter: FLT6



KPF12T

120CM, PORTOFINO, CHIMNEY HOOD, TURQUOISE




No. of speeds	I	II	III	INT
Extraction rate IEC 61591	287	389	606	777
Noise level IEC 60704-2-13	49	58	67	73

- 1 high performance motor, 275W
- 2 controls
- 3 speeds, plus intensive
- 4 x 4W LED lights
- 4 st/steel grease filters
- Internal re-circulation possible
- Vent outlet Ø 150 mm
- Nominal power: 280W

Min clearance required when installing above electric hobs: 650mm
 Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A
 Grease filtering efficiency class: D
 Lighting efficiency class: A

OPTIONAL EXTRAS:
 Charcoal filter: FLT6



KPF12WH

WHITE



KPF12X

STAINLESS STEEL



KPF12RD

RED



KPF12BL

BLACK



KPF9RD

90CM, PORTOFINO, CHIMNEY HOOD, RED



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	288	421	630	781
Noise level IEC 60704-2-13	48	63	67	72


- 1 high performance motor, 275W
- 2 controls
- 3 speeds, plus intensive
- 2 x 2W LED lights
- 3 st/steel grease filters
- Internal re-circulation possible
- Vent outlet Ø 150 mm
- Nominal power: 277W

Min clearance required when installing above electric hobs: 650mm
 Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A
 Grease filtering efficiency class: C
 Lighting efficiency class: A

OPTIONAL EXTRAS:

Charcoal filter: FLT6



KPF9OG

OLIVE GREEN



KPF9YW

YELLOW



KPF9OR

ORANGE



KPF9WH

WHITE



KPF9X

STAINLESS STEEL



KPF9AN

ANTHRACITE



HOODS

KPF9BL

BLACK





KT110BLE

110CM, VICTORIA, CHIMNEY HOOD, GLOSS BLACK



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	326	439	554	784
Noise level IEC 60704-2-13	49	57	63	71


- 1 high performance motor, 275W
- 2 controls
- 3 speeds, plus intensive
- 2 x 1W LED lights
- 4 aluminium grease filters
- Internal re-circulation possible
- Vent outlet Ø 150 mm
- Nominal power: 278W

Min clearance required when installing above electric hobs: 650mm
 Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A
 Grease filtering efficiency class: D
 Lighting efficiency class: A

OPTIONAL EXTRAS:

Charcoal filter: FLT6



KT110PE
Gloss Cream



KT110XE
Stainless Steel



KT110BE
Gloss White



KT110BLE
Gloss Black

NB: Available whilst stocks last



KT100PE

100CM, VICTORIA, CHIMNEY HOOD, GLOSS CREAM



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	334	424	606	787
Noise level IEC 60704-2-13	51	58	64	73


- 1 high performance motor, 275W
- 2 controls
- 3 speeds, plus intensive
- 2 x 2W LED lights
- 3 aluminium grease filters
- Internal re-circulation possible
- Vent outlet Ø 150 mm
- Nominal power: 277W

Min clearance required when installing above electric hobs: 650mm
 Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A
 Grease filtering efficiency class: C
 Lighting efficiency class: A

OPTIONAL EXTRAS:

Charcoal filter: FLT6



KTR90XE

90CM, VICTORIA, CHIMNEY HOOD, STAINLESS STEEL



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	334	439	567	788
Noise level IEC 60704-2-13	49	57	61	69

- 1 high performance motor, 275W
- 2 controls
- 3 speeds, plus intensive
- 2 x 1W LED lights
- 3 aluminium grease filters
- Internal re-circulation possible
- Vent outlet Ø 150 mm
- Nominal power: 278W

Min clearance required when installing above electric hobs: 650mm
 Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A
 Grease filtering efficiency class: C
 Lighting efficiency class: A

OPTIONAL EXTRAS:


Charcoal filter: FLT6




KT90BLE
Gloss Black



KT90BE
Gloss White



KT90PE
Gloss Cream



NB: Available whilst stocks last

KFAB75RD

75CM, 50'S RETO STYLE, ANGLED CHIMNEY HOOD, GLOSS RED



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	333	477	649	797
Noise level IEC 60704-2-13	50	59	67	72

RECIRCULATION MODE ONLY

- 1 high performance motor, 280W
- Electronic buttons
- 3 speeds, plus intensive
- 2 x 1W LED lights
- 3 st/steel grease filters (dishwasher safe)
- Charcoal filters included**
- Filter cleaning/replacement indicator
- Internal recirculation only
- Remote control included**
- Nominal power: 282W

Min clearance required when installing above electric hobs: 650mm
 Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class: A
 Grease filtering efficiency class: E
 Lighting efficiency class: A

OPTIONAL EXTRAS:


Charcoal filter: **FLTSI**

CHIMNEY EXTENSIONS CAN BE PURCHASED FOR AESTHETIC REASONS ONLY:

- KITCMNFABBL (KFAB75BL, BLACK)
- KITCMNFABCR (KFAB75CR, CREAM)
- KITCMNFABRD (KFAB75RD, RED)
- KITCMNFABWH (KFAB75WH, WHITE)



N.B.: Technical drawing with chimney extension.



N.B.: Technical drawing without chimney extension.

KFAB75CR

75CM, 50'S RETO STYLE, ANGLED CHIMNEY HOOD, GLOSS CREAM



KFAB75BL

75CM, 50'S RETO STYLE, ANGLED CHIMNEY HOOD, GLOSS BLACK



KFAB75WH

75CM, 50'S RETO STYLE, ANGLED CHIMNEY HOOD, GLOSS WHITE



KFAB75UJ

75CM, 50'S RETO STYLE, ANGLED CHIMNEY HOOD, SPECIAL EDITION UNION JACK



HOODS

KS110BLE

110CM, SYMPHONY , CHIMNEY HOOD, GLOSS BLACK



No. of speeds	I	II	III	INT
Extraction rate IEC 61591	295	395	513	702
Noise level IEC 60704-2-13	51	58	64	72


1 high performance motor, 275W
 Electronic controls
 3 speeds, plus intensive
 2 x 1W LED lights
 3 aluminium grease filters
 Automatic switch off (10 minute timer) for each speed
 Filter cleaning/replacement indicator
 Internal re-circulation possible
 Vent outlet Ø 150 mm
 Nominal power: 278W

Min clearance required when installing above electric hobs: 650mm
 Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: B
 Grease filtering efficiency class: C
 Lighting efficiency class: A

OPTIONAL EXTRAS:

Charcoal filter: FLT4




KS110XE

110CM, SYMPHONY , CHIMNEY HOOD, STAINLESS STEEL



KSED95NEE

90CM, CHIMNEY HOOD, GLOSS BLACK



No. of speeds	I	II	III
Extraction rate IEC 61591	328	420	588
Noise level IEC 60704-2-13	50	57	65

1 high performance motor, 200W
Slider controls
3 speeds
2 x 1W LED lights
3 aluminium grease filters
Internal re-circulation possible
Vent outlet Ø 150 mm
Nominal power: 202W

Min clearance required when installing above electric hobs: 650mm
Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: B
Grease filtering efficiency class: D
Lighting efficiency class: A

OPTIONAL EXTRAS:

Charcoal filter: FLT6




KSED95XE
Stainless Steel

KSED95PE
Gloss Cream

NB: Available whilst stocks last



KSED75XE

70CM, CHIMNEY HOOD, STAINLESS STEEL



No. of speeds	I	II	III
Extraction rate IEC 61591	351	420	635
Noise level IEC 60704-2-13	53	57	67


KSED75XE



KSED95NEE
KSED95XE
KSED95PE

KSED65XE

60CM, CHIMNEY HOOD, STAINLESS STEEL



No. of speeds	I	II	III
Extraction rate IEC 61591	351	420	635
Noise level IEC 60704-2-13	53	57	67

1 high performance motor, 200W
Slider controls
3 speeds
2 x 1W LED lights
2 aluminium grease filters
Internal re-circulation possible
Vent outlet Ø 150 mm
Nominal power: 202W

Min clearance required when installing above electric hobs: 650mm
Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: B
Grease filtering efficiency class: D
Lighting efficiency class: A

OPTIONAL EXTRAS:


Charcoal filter: FLT6



KSED65PE
Gloss Cream

KSED65NEE
Gloss Black

KSED65BE
White



REFRIGERATION

All Smeg fridges are designed to enhance the environment they inhabit. Their lines, colours and materials blend beautifully with other furniture, lending a touch of style and prestige.




SMEG REFRIGERATION

exuding technology and style

Smeg fridges are more than just a commodity, freestanding refrigeration models are available in a vast range of styles, from contemporary stainless steel to bold retro aesthetics. They bring originality and personality to make a statement in any kitchen.



LUXURY



4 DOOR



FRENCH DOOR



DOUBLE DOOR



SINGLE DOOR

UNMISTAKABLE DESIGN

fabulous 50's retro style

The iconic Smeg FAB refrigeration range combines good looks with high-performance technology. With beautiful bold finishes and soft round curves reminiscent of 1950's retro design, there are many colour options; choose from delicate pastel hues, striking bold colours or unique special edition designs. Six size options are available, from the ultra spacious FAB50 down to the petite proportions of the FAB5 minibar.



REFRIGERATION

NEW SPECIAL EDITIONS

A number of FAB28 special edition models have been added to the range in Ruby Red, Taupe and Emerald Green colourways. Each has an exquisite "soft touch" feel.

Smeg's latest collaboration is with Disney, celebrating Mickey Mouse's 90th anniversary with the creation of a special edition FAB28 with Disney's most iconic character proudly displayed on the front. This is the 2nd design of its kind, following the success of the 90 limited edition pieces launched in 2018.



SUPERB CRAFTSMANSHIP
attention to details

The FAB32, FAB30, FAB28 and even FAB5 refrigeration ranges have all been transformed internally with many improvements.



LED INTERIOR LIGHTING

Bright LED light strips have been applied to both sides of the fridge to provide optimal illumination and total visibility of the interior. These are more energy efficient and longer lasting than traditional bulbs.



NEW FINISHES

Chrome finishes have been applied to balcony doors, shelves, and drawers, providing a premium aesthetic.



POWER SAVING MODE

The FAB32's feature a new digital electronic control panel with crisp white LED's and provides more accurate temperature monitoring. It includes a power saving mode, allowing you to turn off the fridge section whilst keeping the freezer active, a useful feature to save energy when on holiday.



LIFE PLUS DRAWER

The addition of a life plus 0°C drawer, provides a compartment for preserving perishable foods for longer such as fish, cheese and meat, at a controlled temperature of 0°C, helping to reduce food waste. Both the life plus 0°C drawer and the fruit and vegetable drawer are secured on telescopic rails, allowing the drawers to slide in and out with ease, useful when needing to add or remove food.



EXTENDING REFRIGERATION SPACE
ingenious storage solutions

Large capacity refrigerators are often in demand in today's busy world. Smeg offers French door or extra wide styles with plenty of storage. Some individual models can even be positioned side by side to create this effect.



NATURAL PLUS BLU LIGHT

The unique lighting system increases the storage time of fruits and vegetables.

ICE MAKER

Very useful for creating ice cubes for everyday drinks or parties. Most models with icemakers are manual, however the FQ60X2PEAI has an automatic icemaker, requiring no plumbing!



LIFE PLUS DRAWERS

Kept within the controlled temperature of 0°C, perishable foods can be preserved for longer.



MULTIZONE

This interchangeable compartment can be used as either a fridge or freezer.



The FQ55FX1 French door model has the convenience of the extra wide refrigeration space at the top, together with the features of the 4 door version, but the freezer space is instead divided between two drawers.



Both drawers are equipped with dividers to assist in the organisation of the food, so their contents are displayed at a glance.



The FQ60 4-door model is truly versatile, with its spacious and well featured refrigeration compartment at the top and the option of two freezer sections below, or an extra refrigeration space at the lower right if less freezer space is needed.



The freezer includes a manual ice making facility, however on the FQ60X2PEAI it is automatic, so no plumbing is required!

TAILOR-MADE PROFESSIONAL CONSERVATION

a wine enthusiasts dream

Smeg presents wine coolers developed for conserving fine wines and impressing guests. Equipped with spacious shelves finished in untreated wood, they store different shapes and sizes of bottles, from classic Bordeaux blends to Magnums.



PERFECT PRESERVATION

Smeg wine coolers are finished with UV ray resistant glass which protect against harmful UV rays that can damage the quality of the wine. This together with a motor/compressor designed with particular care, preserves bottles from harmful vibrations and ensures they remain completely still.

MAXIMUM CAPACITY

The SCV115A/AS shown on the right can hold up to 197 standard 75cl bottles, with some shelves removed, and bottles stored facing front and back.

The WF366RDX wine cooler shown on the left features a versatile Multizone compartment underneath. This interchangeable section can be used as a freezer, fridge or 0°C compartment depending on your storage needs.

This luxury wine cooler can be easily combined with a luxury refrigerator by using a linking kit (REFLKA1).

CONTROLS ON THE EXTERIOR

You can set the temperature without opening the door on the SCV115A, preventing changes in the internal temperature.



TRUE ICONS

a beautiful collaboration between two Italian style icons



The Smeg500 is more than just a fridge, its unique style combines good looks with high performance technology. An extraordinary refrigerator for the homes of avid collectors, or a fashionable lounge bar perfect for serving drinks.



REFRIGERATION

FROST FREE

FAB50RPB

50'S RETRO STYLE, REFRIGERATOR-FREEZER, PASTEL BLUE



Gross capacity: 467 litres
 Right hand hinged
 Noise level: 44 dB(A) re 1 pV

REFRIGERATOR:

Fresh food capacity: 343 litres
 Automatic defrost
 LED interior lighting
 1 life plus zone 0°C drawer
 3 adjustable glass shelves
 1 fixed glass shelf
 2 fruit and vegetable drawers
 Comprehensive door storage
 Also includes 2 x egg holders, 1 small and 1 large storage box


FREEZER:

Frozen food capacity: 97 litres
 1 shelf
 Internal manual ice maker
 Fast freezing compartment
 LED light in freezer
Completely frost free

Annual energy consumption: 300 kWh
 Climatic class: N-T
 Freezing capacity: 5.5 Kg/h
 Thaw time: 10 hrs

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

All codes shown are right hand hinged. For the left hand hinged version replace "R" in the code with "L". i.e FAB50LPB



When positioning these appliances next to an adjacent wall or kitchen unit gap of 200mm must be left on the hinged side of the product to allow the door to open.



FAB50RRD
Red



FAB50RBL
Black



FAB50RSV
Silver



FAB50RPG
Pastel green



FAB50RCR
Cream



FAB50RWH
White

REFRIGERATION

FROST FREE

FAB32RCR3UK

50'S RETRO STYLE, REFRIGERATOR-FREEZER, CREAM



Gross capacity: 350 litres
 Power saving mode
 Right hand hinged
 Noise level: 37 dB(A) re 1 pW

REFRIGERATOR:

Fresh food capacity: 234 litres
 Automatic defrost
 LED interior lighting
 2 adjustable glass shelves
 1 fixed glass shelf
 1 life plus zone 0°C drawer
 1 fruit and vegetable drawer
 Comprehensive door storage

FREEZER:


Frozen food capacity: 97 litres
 3 drawers
 Fast freezing compartment
Completely frost free

Annual energy consumption: 178 kWh
 Climatic class: SN-T
 Freezing capacity: 6kg/24h
 Thaw time: 40 hrs

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

All codes shown are right hand hinged. For the left hand hinged version replace "R" in the code with "L", ie FAB32LCR3UK


NB: All products will come with a UK plug even when the code does not include UK



When positioning these appliances adjacent to a wall or kitchen unit a gap of 175mm must be left on the hinged side of the product to allow the door to open.



FAB32RRD3UK
Red



FAB32RBL3UK
Black



FAB32RWH3UK
White



FAB32RPK3UK
Pink



FAB32RPG3UK
Pastel green



FAB32RPB3UK
Pastel blue




FAB32RLI3
Lime Green *right hand version only

REFRIGERATION

FAB30RWH3UK

50'S RETRO STYLE, REFRIGERATOR-FREEZER, WHITE



Gross capacity: 298 litres
 Right hand hinged
 Noise level: 31 dB(A) re 1 pV

REFRIGERATOR:

Fresh food capacity: 222 litres
 Automatic defrost
 LED interior lighting
 2 adjustable glass shelves
 1 fixed glass shelf
 1 life plus zone 0°C drawer
 1 fruit and vegetable drawer
 Comprehensive door storage

FREEZER:


Frozen food capacity: 72 litres
 1 fixed wire shelf

Annual energy consumption: 156 kWh
 Climatic class: SN-T
 Freezing capacity: 4 Kg/h
 Thaw time: 30 hrs

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

All codes shown are right hand hinged. For the left hand hinged version replace "R" in the code with "L", i.e. FAB30LWH3UK

NB: All products will come with a UK plug even when the code does not include UK



When positioning these appliances adjacent to a wall or kitchen unit a gap of 175mm must be left on the hinged side of the product to allow the door to open



FAB30RRD3UK
Red



FAB30RCR3UK
Cream



FAB30RBL3UK
Black



FAB30RPB3UK
Pastel blue



FAB30RPG3UK
Pastel green



FAB30RPK3
Pink



FAB30RLI3
Lime Green *right hand version only



FAB30ROR3
Orange



FAB30RBE3
Blue *right hand version only




FAB30RSV3
Silver

REFRIGERATION

FAB28RRD3UK

50'S RETRO STYLE, REFRIGERATOR WITH ICE COMPARTMENT, RED



Gross capacity: 281 litres
Right hand hinged
Noise level: 38 dB(A) re 1 pV

REFRIGERATOR:

Fresh food capacity: 244 litres
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
1 life plus zone 0°C drawer
1 fruit and vegetable drawer with humidity controls
Comprehensive door storage

ICE BOX:


Frozen food capacity: 26 litres

Annual energy consumption: 139 kWh
Climatic class: SN-T
Freezing capacity: 2kg/24h
Thaw time: 12 hrs

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

All codes shown are right hand hinged. For the left hand hinged version replace "R" in the code with "L". ie FAB28LRD3UK

NB: All products will come with a UK plug even when the code does not include UK



When positioning these appliances adjacent to a wall or kitchen unit a gap of 175mm must be left on the hinged side of the product to allow the door to open.



FAB28RCR3UK
Cream



FAB28RPB3UK
Pastel blue



FAB28RPK3UK
Pink



FAB28RPG3UK
Pastel green



FAB28RYW3UK
Yellow



FAB28RWH3UK
White



FAB28RSV3UK
Silver



FAB28RBL3UK
Black



FAB28RLI3
Lime Green *right hand version only



FAB28ROR3
Orange



FAB28RBE3
Blue *right hand version only

REFRIGERATION



FAB28RDRB3

50'S RETRO STYLE, REFRIGERATOR WITH ICE COMPARTMENT, RUBY RED, SPECIAL EDITION



Gross capacity: 281 litres
Right hand hinged
"Soft touch" exterior
Noise level: 38 dB(A) re 1 pW

REFRIGERATOR:

Fresh food capacity: 244 litres
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
1 life plus zone 0°C drawer
1 fruit and vegetable drawer with humidity controls
Comprehensive door storage

ICE BOX:

Frozen food capacity: 26 litres

Annual energy consumption: 139 KWh
Climatic class: SN-T
Freezing capacity: 2 Kg/h
Thaw time: 12 hrs

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

NB: All products will come with a UK plug even when the code does not include UK



FAB28RDEG3

50'S RETRO STYLE, REFRIGERATOR WITH ICE COMPARTMENT, EMERALD GREEN, SPECIAL EDITION



FAB28RDTP3

50'S RETRO STYLE, REFRIGERATOR WITH ICE COMPARTMENT, TAUPE, SPECIAL EDITION



FAB28RDBB3

50'S RETRO STYLE, REFRIGERATOR WITH ICE COMPARTMENT, BLACKBOARD, SPECIAL EDITION



Gross capacity: 281 litres
Right hand hinged
Noise level: 38 dB(A) re 1 pW

REFRIGERATOR:

Fresh food capacity: 244 litres
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
1 life plus zone 0°C drawer
1 fruit and vegetable drawer with humidity controls
Comprehensive door storage

ICE BOX:

Frozen food capacity: 26 litres

Annual energy consumption: 139 KWh
Climatic class: SN-T
Freezing capacity: 2kg/24h
Thaw time: 12 hrs

Also available with left hand hinge:
FAB28LDUJ3UK Union Jack


Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

NB: All products will come with a UK plug even when the code does not include UK



FAB28RDUJ3UK

50'S RETRO STYLE, REFRIGERATOR WITH ICE COMPARTMENT, UNION JACK, SPECIAL EDITION




When positioning these appliances adjacent to a wall or kitchen unit a gap of 175mm must be left on the hinged side of the product to allow the door to open.



FAB28RDMM4

50'S RETRO STYLE, REFRIGERATOR WITH ICE COMPARTMENT, MICKEY MOUSE, SPECIAL EDITION



Gross capacity: 281 litres
Right hand hinged
Noise level: 38 dB(A) re 1 pW

REFRIGERATOR:

Fresh food capacity: 244 litres
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
1 life plus zone 0°C drawer
1 fruit and vegetable drawer with humidity controls
Comprehensive door storage


ICE BOX:

Frozen food capacity: 26 litres


Annual energy consumption: 139 kWh
Climatic class: SN-T
Freezing capacity: 2kg/24h
Thaw time: 12 hrs

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

NB: All products will come with a UK plug even when the code does not include UK



When positioning these appliances adjacent to a wall or kitchen unit a gap of 175mm must be left on the hinged side of the product to allow the door to open.



FAB10RDUJ2

50'S RETRO STYLE, REFRIGERATOR WITH ICE COMPARTMENT, UNION JACK, SPECIAL EDITION



Gross capacity: 118 litres
Right hand hinged
Noise level: 37 dB(A) re 1 pV

REFRIGERATOR:

Fresh food capacity: 101 litres
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fruit and vegetable drawer
Comprehensive door storage


ICE BOX:

Frozen food capacity: 13 litres

Annual energy consumption: 139 KWh
Climatic class: SN-T
Freezing capacity: 2 Kg/h
Thaw time: 8 hrs

Metal backpanel material: Flame retardant Aluminium foil

All codes shown are right hand hinged. For the left hand hinged version replace "R" in the code with "L". ie FAB10LDUJ2



When positioning these appliances adjacent to a wall or kitchen unit a gap of 175mm must be left on the hinged side of the product to allow the door to open.



FAB10ROR2
Orange



FAB10RBL2
Black



FAB10RRD2
Red



FAB10RCR2
Cream



FAB10RPB2
Pastel blue



FAB10RPG2
Pastel green



FAB10RWH2
White

FAB5RCR3

50'S RETRO STYLE, MINI BAR REFRIGERATOR-CELLAR, CREAM



Gross capacity: 38 litres
 Right hand hinged
 Optional Smart System for Hotel version
 Noise level: 40 dB(A) re 1 pV


REFRIGERATOR:

Net capacity: 34 litres
 Automatic defrost
 LED interior lighting
 2 adjustable glass shelves
 Door storage: 1 balcony shelf, 1 bottle shelf

Annual energy consumption: 54 kWh
 Climatic class: SN-T

All codes shown are right hand hinged. For the left hand hinged version replace "R" in the code with "L", ie FAB5LCR3

Metal backpanel material: Flame retardant Metal



When positioning these appliances adjacent to a wall or kitchen unit a gap of 175mm must be left on the hinged side of the product to allow the door to open.



FAB5RSV3
Silver



FAB5RWH3
White



FAB5RBL3
Black



FAB5RPB3
Pastel blue



FAB5RPK3
Pink



FAB5RPG3
Pastel green



FAB5RRD3
Red



FAB5RDUJ3
Union Jack, Special edition



FAB5RGO3
Gold

REFRIGERATION

SMEG500V

DRINKS CHILLER IN FIAT 500 RETRO DESIGN, GREEN



Handmade with genuine original Fiat 500 parts
Functioning headlamps
Noise level: 37 dB(A) re 1 pW

REFRIGERATOR:

Net capacity: 100 litres
Automatic defrost
LED interior lighting
Open/close with 2 sliding doors (low emission glass)
3 x removable bottle holders
1 x removable shelf for canned drinks

Annual energy consumption: 109 kWh
Climatic class: ST

DIMENSIONS:

H 83 X W 125 X D 80cm
Maximum height with bonnet open at 80 degrees, 150cm

Metal backpanel material: Flame retardant Metal

NB: These products are only available via special order



SMEG500B

WHITE



SMEG500BL

BLUE



SMEG500R

RED



SMEG500G

YELLOW



REFRIGERATION



RF396RSIX

LUXURY, REFRIGERATOR-FREEZER, STAINLESS STEEL

NO FROST



Gross capacity: 580 litres
Power saving mode
Right hand hinged
Noise level: 42 dB(A) re 1 pW

Multizone compartment can be used as a freezer or a fridge

REFRIGERATOR:

Fresh food capacity: 396 litres
Automatic defrost
LED interior lighting
3 adjustable glass shelves
1 fixed glass shelf
1 fruit and vegetable drawer
1 life plus zone 0°C drawer
Comprehensive door storage

FREEZER/MULTIZONE:


Compartment can be used as a freezer or fridge.
Frozen food capacity: 104 litres
2 drawers
Automatic ice maker
LED internal lighting
Completely No Frost

Annual energy consumption: 382 KWh
Climatic class: SN-T
Freezing capacity: 15 Kg/h
Thaw time: 18 hrs

Metal backpanel material: Flame retardant Metal



RF396LSIX
Left hand hinged



OPTIONAL EXTRAS

REFLK6090 Grill & plinth kit for combining wine cooler WF366 + refrigerator RF396
REFLKA1 Linking kit for combining wine cooler WF366 + refrigerator RF396 or RF376



RF376RSIX

LUXURY, REFRIGERATOR-FREEZER, STAINLESS STEEL

NO FROST



Gross capacity: 454 litres
Power saving mode
Right hand hinged
Noise level: 42 dB(A) re 1 pW

Multizone compartment can be used as a freezer or a fridge

REFRIGERATOR:

Fresh food capacity: 312 litres
Automatic defrost
LED interior lighting
3 adjustable glass shelves
1 fixed glass shelf
1 fruit and vegetable drawer
1 life plus zone 0°C drawer
Comprehensive door storage

FREEZER/MULTIZONE:


Compartment can be used as a freezer or fridge.
Frozen food capacity: 81 litres
2 drawers
Automatic ice maker
LED internal lighting
Completely No Frost

Annual energy consumption: 327 KWh
Climatic class: SN-T
Freezing capacity: 12 Kg/h
Thaw time: 15 hrs

Metal backpanel material: Flame retardant Metal



RF376LSIX
Left hand hinged



OPTIONAL EXTRAS

REFLK6075 Grill & plinth kit for combining wine cooler WF366 + refrigerator RF376
REFLKA1 Linking kit for combining wine cooler WF366 + refrigerator RF396 or RF376

REFRIGERATION



WF366RDX

LUXURY, COMBINATION WINE COOLER AND FREEZER, ST/STEEL AND GLASS DOOR

NO FROST



Gross capacity: 219 litres
Right hand hinged
Noise level: 42 dB(A) re 1 pW

Multizone compartment can be used as a freezer or a fridge

WINE COOLER:

Capacity: 228 litres
Maximum storage capacity is 54 75cl bottles.
9 removable wooden shelves on telescopic rails
2 independent adjustable temperature zones
Electronic temperature control
Temperature range from 4°C to 18°C
LED interior lighting
Active charcoal filter
Anti-UV door glass
Automatic defrost

FREEZER/MULTIZONE:

Compartment can be used as a freezer or fridge.
Frozen food capacity: 59 litres
2 drawers
LED internal lighting
Completely No Frost

Annual energy consumption: 314 kWh
Climatic class: SN-T
Freezing capacity: 10kg/24h
Thaw time: 13 hrs


Metal backpanel material: Flame retardant Metal

OPTIONAL EXTRAS

- REFLK6090 Grill & plinth kit for combining wine cooler WF366 + refrigerator RF396
- REFLK6075 Grill & plinth kit for combining wine cooler WF366 + refrigerator RF376
- REFLKA1 Linking kit for combining wine cooler WF366 + refrigerator RF396 or RF376



WF366LDX
Left hand hinged



REFRIGERATION

WF366LDX + RF396RSIX

FQ960PB

NO FROST

VICTORIA, "FRENCH DOOR" REFRIGERATOR-FREEZER WITH 4 DOORS, PASTEL BLUE



FQ960N

NO FROST

VICTORIA, "FRENCH DOOR" REFRIGERATOR-FREEZER WITH 4 DOORS, BLACK



FQ75XPED

NO FROST

"FRENCH DOOR" REFRIGERATOR-FREEZER WITH 4 DOORS, FINGER FRIENDLY STAINLESS STEEL



Gross capacity: 594 litres
Power saving mode
Noise level: 46 dB(A) re 1 pV

Multizone compartment (lower right), can be used as fridge or freezer

REFRIGERATOR:

Fresh food capacity: 384 litres
Possibility of further 77 litres using Multizone as refrigerator
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
2 life plus 0°C drawers
2 fruit and vegetable drawers with Natural plus BLU light
Comprehensive door storage

MULTIZONE:

Can be used as either refrigerator or freezer
Capacity: 77 litres
1 open storage section with shelf
2 drawers

FREEZER:


Frozen food capacity: 78 litres
Possibility of further 77 litres using Multizone as freezer
Internal manual ice maker
3 drawers
Fast freezing function
Completely No Frost



FQ960P
Cream

Annual energy consumption: 459 kWh
Climatic class: SN-T
Freezing capacity: 13kg/24h
Thaw time: 15 hrs

Metal backpanel material: Flame retardant Metal



Gross capacity: 750 litres
Power saving mode
LCD display with ice and water dispenser
Noise level: 46 dB(A) re 1 pV

Multizone compartment (lower right), can be used as fridge or freezer

REFRIGERATOR:

Fresh food capacity: 435 litres
Possibility of further 104 litres using Multizone as refrigerator
Automatic defrost
LED interior lighting
2 adjustable glass shelves
2 life plus 0°C drawers
2 fruit and vegetable drawers with Natural plus BLU light
Comprehensive door storage

MULTIZONE:


Can be used as either refrigerator or freezer
Capacity: 104 litres
1 drawer
2 shelves

FREEZER:

Frozen food capacity: 104 litres
Possibility of further 104 litres using Multizone as freezer
3 drawers
Fast freezing compartment
Completely No Frost

Annual energy consumption: 531 kWh
Climatic class: SN-T
Freezing capacity: 13kg/24h
Thaw time: 15 hrs

Metal backpanel material: Flame retardant Metal





NO FROST & NON-PLUMBED

FQ60X2PEAI

"FRENCH DOOR" REFRIGERATOR-FREEZER WITH 4 DOORS AND AUTOMATIC NON-PLUMBED ICE MAKER , FINGER FRIENDLY STAINLESS STEEL



Gross capacity: 626 litres
External LCD touch control display
Power saving mode
Noise level: 43 dB(A) re 1 pW

Multizone compartment (lower right) can use as a fridge or freezer

REFRIGERATOR:

Fresh food capacity: 376 litres
Possibility of further 83 litres using Multizone as refrigerator
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
2 fruit and vegetable drawers with Natural plus Blu light
Water tank
Water dispenser
1 life plus zone 0°C drawer
Comprehensive door storage

MULTIZONE:

Can be used as either refrigerator or freezer
Capacity: 83 litres
2 open storage sections with shelves
1 drawer

FREEZER:


Frozen food capacity: 71 litres
Possibility of further 83 litres using Multizone as freezer
1 automatic ice maker compartment
2 drawers
LED internal lighting

Completely No Frost

Annual energy consumption: 356 KWh
Climatic class: SN-T
Freezing capacity: 8 Kg/h
Thaw time: 15 hrs

Metal backpanel material: Flame retardant Metal

NB: This appliance does not require plumbing



NO FROST

FQ60X2PE1

"FRENCH DOOR" REFRIGERATOR-FREEZER WITH 4 DOORS, FINGER FRIENDLY STAINLESS STEEL



Gross capacity: 626 litres
External LCD touch control display
Power saving mode
Noise level: 43 dB(A) re 1 pW

Multizone compartment (lower right) can use as a fridge or freezer

REFRIGERATOR:

Fresh food capacity: 376 litres
Possibility of further 83 litres using Multizone as refrigerator
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
2 fruit and vegetable drawers with Natural plus Blu light
1 life plus zone 0°C drawer
Comprehensive door storage

MULTIZONE:

Can be used as either refrigerator or freezer
Capacity: 83 litres
2 open storage sections with shelves
1 drawer


FREEZER:

Frozen food capacity: 82 litres
Possibility of further 83 litres using Multizone as freezer
Internal manual ice maker
2 drawers
LED internal lighting

Completely No Frost

Annual energy consumption: 364 KWh
Climatic class: SN-T
Freezing capacity: 8 Kg/h
Thaw time: 15 hrs

Metal backpanel material: Flame retardant Metal



FQ60N2PE1
Black



FQ60B2PE1
White

REFRIGERATION

FQ60XP1

NO FROST

"FRENCH DOOR" REFRIGERATOR-FREEZER WITH 4 DOORS, FINGER FRIENDLY STAINLESS STEEL



Gross capacity: 626 litres
Power saving mode
Noise level: 43 dB(A) re 1 pW

Multizone compartment (lower right) can use as a fridge or freezer

REFRIGERATOR:

Fresh food capacity: 376 litres
Possibility of further 83 litres using Multizone as refrigerator
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
2 fruit and vegetable drawers with **Natural plus Blu light**
1 life plus zone 0°C drawer
Comprehensive door storage

MULTIZONE:


Can be used as either refrigerator or freezer
Capacity: 83 litres
2 open storage sections with shelves
1 drawer

FREEZER:

Frozen food capacity: 82 litres
Possibility of further 83 litres using Multizone as freezer
Internal manual ice maker
2 drawers
LED internal lighting
Completely No Frost

Annual energy consumption: 464 kWh
Climatic class: SN-T
Freezing capacity: 8 Kg/h
Thaw time: 15 hrs

Metal backpanel material: Flame retardant Metal



FQ55FX1

NO FROST

"FRENCH DOOR" REFRIGERATOR-FREEZER WITH 2 DOORS & 2 DRAWERS, FINGER FRIENDLY STAINLESS STEEL & SILVER SIDES



Gross capacity: 605 litres
Power saving mode
Noise level: 42 dB(A) re 1 pW

REFRIGERATOR:

Fresh food capacity: 387 litres
Extra wide storage - internal width 73cm
Automatic defrost
LED interior lighting
2 adjustable glass shelves
1 fixed glass shelf
2 life plus 0°C drawers
2 fruit and vegetable drawers with **Natural plus BLU light**
Comprehensive door storage

FREEZER:

Frozen food capacity: 152 litres
2 full width drawers, fitted with dividers
Completely No Frost


Annual energy consumption: 456 kWh
Climatic class: SN-T
Freezing capacity: 10kg/24h
Thaw time: 22 hrs

Metal backpanel material: Flame retardant Metal

FQ55FXE1

NO FROST

"FRENCH DOOR" REFRIGERATOR-FREEZER WITH 2 DOORS & 2 DRAWERS AND LCD DISPLAY, FINGER FRIENDLY STAINLESS STEEL & SILVER SIDES





FD602PXNE

REFRIGERATOR-FREEZER, FINGER FRIENDLY STAINLESS STEEL

NO FROST



Gross capacity: 625 litres
Touch control LCD display
Power saving mode
Right hand hinged, reversible door
Noise level: 44 dB(A) re 1 pW

REFRIGERATOR:


Fresh food capacity: 435 litres
Automatic defrost
LED interior lighting
3 adjustable glass shelves
1 life plus 0°C compartment
2 fruit and vegetable drawers
Comprehensive door storage

FREEZER:

Frozen food capacity: 140 litres
1 shelf
Internal manual ice maker
Fast freezing compartment
LED internal lighting
Completely no frost

Annual energy consumption: 363 KWh
Climatic class: SN-T
Freezing capacity: 10kg/24h
Thaw time: 22 hrs


Metal backpanel material: Flame retardant Metal



FROST FREE

FT41BXE

REFRIGERATOR-FREEZER WITH 1 DOOR & 2 DRAWERS, FINGER FRIENDLY STAINLESS STEEL



Gross capacity: 530 litres
Touch control LCD display
Power saving mode
Right hand hinged
Noise level: 46 dB(A) re 1 pW

Multizone compartment (top drawer) can use as a fridge or freezer

REFRIGERATOR:

Fresh food capacity: 316 litres
Automatic defrost
Possibility of further 54 litres using Multizone as refrigerator
1 chrome wine rack
2 adjustable glass shelves
1 fixed glass shelf
1 fruit & vegetable drawer with Natural plus Blu light
Comprehensive door storage

MULTIZONE:


Compartment can be converted to use as either refrigerator or freezer
Capacity: 54 litres
1 drawer

FREEZER:

Frozen food capacity: 96 litres
Possibility of further 54 litres using Multizone as freezer
1 drawer
Fast freezing function
Completely frost free

Annual energy consumption: 427 KWh
Climatic class: SN-T
Freezing capacity: 7kg/24h
Thaw time: 16 hrs

Metal backpanel material: Flame retardant Metal



REFRIGERATION

CV282PXNFE

NO FROST

UPRIGHT FREEZER WITH LCD DISPLAY, FINGER FRIENDLY STAINLESS STEEL



Gross capacity: 307 litres
Left hand hinged, reversible door
Touch control LCD display
Noise level: 42 dB(A) re 1 pW

FREEZER:
Frozen food capacity: 280 litres
2 shelves with transparent flaps
5 drawers
Fast freezing function
Completely No-Frost

Annual energy consumption: 257 KWh
Climatic class: SN-T
Freezing capacity: 25kg/24h
Thaw time: 1.5 hrs

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

Co-ordinates with FA402PXNE

OPTIONS

REFLK

Linking kit to hold FA402PXNE and CV282PXNFE in place when positioned next to each other



FA402PXNE

UPRIGHT LARDER WITH LCD DISPLAY, FINGER FRIENDLY STAINLESS STEEL




Gross capacity: 404 litres
Right hand hinged, reversible door
Touch control LCD display
Noise level: 40 dB(A) re 1 pW

REFRIGERATOR:
Fresh food capacity: 380 litres
Automatic defrost
LED interior lighting
4 adjustable glass shelves
1 fixed glass shelf
1 life plus zone 0°C drawer
2 fruit and vegetable drawers
Comprehensive door storage

Annual energy consumption: 132 KWh
Climatic class: SN-T

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

Co-ordinates with CV282PXNFE



UK282PXNF

NO FROST

UPRIGHT FREEZER, FINGER FRIENDLY STAINLESS STEEL DOOR



Gross capacity: 307 litres
Left hand hinged, reversible door
Noise level: 42 dB(A) re 1 pW

FREEZER:
Frozen food capacity: 280 litres
2 shelves with transparent flaps
5 drawers
Fast freezing function
Completely No-Frost

Annual energy consumption: 257 KWh
Climatic class: SN-T
Freezing capacity: 25kg/24h
Thaw time: 1.6 hrs

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

Co-ordinates with UK402PX

OPTIONS

REFLK

Linking kit to hold UK282PXNF and UK402PX in place when positioned next to each other



UK402PX

UPRIGHT LARDER, FINGER FRIENDLY STAINLESS STEEL DOOR




Gross capacity: 404 litres
Right hand hinged, reversible door
Noise level: 40 dB(A) re 1 pW

REFRIGERATOR:
Fresh food capacity: 380 litres
Automatic defrost
LED interior lighting
4 adjustable glass shelves
1 fixed glass shelf
1 life plus zone 0°C drawer
2 fruit and vegetable drawers
Comprehensive door storage

Annual energy consumption: 132 KWh
Climatic class: SN-T

Metal backpanel material: Flame retardant Polypropylene & Aluminium foil

Co-ordinates with UK282PXNF



REFRIGERATION

FROST FREE

FC182PXNUK

REFRIGERATOR-FREEZER, FINGER FRIENDLY STAINLESS STEEL



Gross capacity: 341 litres
Integrated handle
Right hand hinged, reversible door
Noise level: 42 dB(A) re 1 pV

REFRIGERATOR:


Fresh food capacity: 230 litres
Automatic defrost
LED interior lighting
1 life plus zone 0°C drawer
2 adjustable glass shelves
1 fixed shelf
1 fruit and vegetable drawer with humidity controls
Comprehensive door storage

FREEZER:

Frozen food capacity: 94 litres
3 drawers
Completely frost free

Annual energy consumption: 263 KWh
Climatic class: SN-T
Freezing capacity: 5kg/24h
Thaw time: 18 hrs

Metal backpanel material:
Flame retardant Aluminium foil



CF33BP

REFRIGERATOR-FREEZER, WHITE



Gross capacity: 340 litres
Right hand hinged, reversible door
Noise level: 42 dB(A) re 1 pV

REFRIGERATOR:


Fresh food capacity: 205 litres
Automatic defrost
LED interior lighting
1 chrome wine rack
3 adjustable glass shelves
2 fruit and vegetable drawers
Comprehensive door storage

FREEZER:

Frozen food capacity: 90 litres
1 compartment with flap
2 drawers

Annual energy consumption: 282 KWh
Climatic class: SN-ST
Freezing capacity: 5kg/24h
Thaw time: 18 hrs

Metal backpanel material: Flame retardant Aluminium foil



SCV115A

CLASSIC, WINE COOLER, GLOSS BLACK AND ST/STEEL WITH GLASS DOOR



Gross capacity: 368 litres
Space for 115 bottles using original shelf layout. Maximum storage capacity is 197 75cl bottles, with some shelves removed and bottles stored facing front and back.
Right hand hinged
Noise level: 42 dB(A) re 1 pV

Electronic controls
6 wooden adjustable and removable shelves
Two internal temperature zones can be set from the control panel
Temperature range from 5 to 22 °C
LED interior lighting
Acoustic alarm when temperature falls below 2°C
Door lock at base
Active charcoal filter
Glass door has anti UV ray tint and Classic style st/steel handle
Anti vibration compressors
Height adjustable front feet, rear rollers
Automatic defrost
Wine cooler can be free-standing or built-in

Annual energy consumption: 168 KWh
Climatic class: N-ST


Metal backpanel material: Flame retardant Metal

Wine storage temperature guide

Mature, full-bodied reds: 16° - 18°C
Young reds: 14° - 16°C
New reds: 10° - 14°C
Mature whites: 12° - 14°C
Young whites: 10° - 12°C
Mature, full-bodied roses: 12° - 14°C
Light roses: 10° - 12°C
Sparkling reds and whites: 8° - 12°C



SCV115AS
Left hand hinged



REFRIGERATION

DISHWASHERS

Designed to produce optimum washing results with minimum use of energy and water, freestanding dishwashers are offered in a variety of styles which can be coordinated with other Smeg appliances.



COMPREHENSIVE RANGE
efficient and stylish

standard width

A wide range of freestanding 60cm wide dishwashers are available including 50's style design and sleek Stainless Steel models, which can easily blend into both traditional and modern kitchen designs. All of the dishwashers feature white LED displays, which look smart and blend seamlessly with other products in the range.



50'S RETRO



ST/STEEL DOOR



SILVER & WHITE



slimline

45cm dishwashers are the perfect solution for kitchens with less space, the slimline width takes up much less floor space. They are also ideal for smaller families or couples who may have less items to wash.



ST/STEEL



BLACK

DISHWASHER UPDATES

Innovative

This year the Smeg dishwasher range has been completely renewed. Attention to detail and careful consideration has been taken in order to produce the best dishwasher range yet. New blue handles, flexiduo baskets and supports provide a fresh and contemporary visual aesthetic.

INNER DOOR RE-DESIGNED & NEW DETERGENT DISPENSER

The new flatter inner door design has resulted in an increase in basket size.

Located in the centre of the inner door is a new improved detergent dispenser with a sliding lid for much easier access. The dispenser is able to house the largest sized tablets available on the market. Due to the curve above the dispenser, water is pushed through the dispenser much more effectively, ensuring total dispersion of the tablet, liquid or powder.



IMPROVED MID BASKETS AND GLASS HOLDERS

The design of the mid baskets has been improved to better accommodate a mixture of different sized cups, mugs and glasses. Together with the Flexiduo basket this allows optimum use of the space.

Glasses are kept secure throughout the washing programme thanks to the new designed stem glass holders which have a minimum touch area, stopping any movements. These also offer increased stability for tumblers, larger glasses and mugs.

INVERTER MOTOR

Some dishwashers within the range now feature an inverter motor. This motor is durable, reliable and long lasting, for added piece of mind. It also reduces noise levels for a quieter appliance.

IMPROVED WASH PERFORMANCE

Due to the re-design of the inner duct of the upper spray arm, water that passes through it does so at a 20% increase in pressure, resulting in a much improved wash performance.

The spray arm itself now has revised jets located on the upper and lower part of the centralised arm, a feature that ensures the best wash possible for your dishes.



TOTAL ACQUASTOP

All dishwashers in this brochure have Total acquastop, an **electronic device fitted to the water intake hose and the base of the machine**, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately directly from the source when necessary, preventing water spillages onto the floor.



EASYGLIDE

Convenient EasyGlide system for easy unloading of the appliance that allows maximum flexibility of load of the machine.



ANTI DRIP SYSTEM

An exclusive anti-drip system is fitted to the front of the basket to **prevent irritating drips** on the floor as the basket is extracted. It is designed to improve the drying performance of the dishwasher.

MAXIMUM FLEXIBILITY
best performance



GREAT FLEXIBILITY

Smeg dishwashers are available in a choice of 13 or 10 place settings, with a great flexibility of placement in the dishwasher with a number of racks and supports (depending on model) that can be fixed or adjusted up and down as required.

FLEXIDUO CUTLERY BASKET

The third cutlery basket; the Smeg Flexi Duo, consists of 2 separate and movable sections which can be adjusted individually or even removed entirely depending on your loading needs. An intelligent solution that makes room for tall glasses below or deep utensils or espresso cups above.


ADJUSTABLE SECOND BASKET

The second basket can be adjusted on 3 levels by ergonomically designed levers even when the basket is fully loaded, to allow plates of up to 30cm diameter to be placed below.



HALF LOAD FLEXIZONE

The 1/2 load Flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items have to be placed.



QUALITY & PERFORMANCE
Wash Efficiency

Smeg's continuous research and development has resulted in high quality appliances with energy saving features and great performance. The three excellent wash systems available are: Planetarium and Orbital for 60cm models and SwingWash for 45cm dishwashers.




60CM PLANETARIUM WASH SYSTEM

The Planetarium wash system, patented by Smeg, ensures maximum wash coverage within the dishwasher by using an innovative **double simulation motion** of the spray arm.

This spiralling directional wash sprays water evenly in a 360° sweep. The rotation speed is approximately 65rpm, giving the best wash results available.

Complex as the engineering is, the result is simple – sparkling dishes every time without missing a spot!



PLANETARIUM WASH SYSTEM PATTERN



ORBITAL WASH SYSTEM PATTERN



TRADITIONAL WASH SYSTEM PATTERN



60CM ORBITAL WASH SYSTEM

This system consists of a double spray arm, with contra-rotating action, which **distributes water evenly throughout the cavity**. The spray arms are perfectly shaped to direct the water with precision, ensuring an excellent washing quality and a low noise level.



45CM SWING WASH SYSTEM

The SwingWash spray system **improves the wash coverage** in the rectangular tank by adding an extra spray arm which directs water towards the corners, swinging alternately between left and right during the cycle.



DRY ASSIST

At the end of the drying cycle a special device automatically opens the door a few centimeters to ensure perfect drying. This can save up to 20% of energy compared to Class A, by automatically opening the door there is less need for the heater element to continue to get the desired drying result.

ENERGY SAVING

High performance and low consumption are features of all Smeg products. Special focus is placed on obtaining the **highest energy efficiency** class rating in order to help the environment.

DF13FAB3BL

60CM 50'S RETRO DISHWASHER IN BLACK



DF13FAB3CR

60CM 50'S RETRO DISHWASHER IN CREAM



MODEL FEATURES & OPTIONS:



PROGRAMMES:



13 place settings

10 programmes: Soak, Crystal, ECO, Rapid 27 mins, Eco Quick, Delicate Quick, Normal Quick, Auto 45-65, Ultraclean, Super Quick
5 temperatures (38°, 45°, 50°, 65°, 70°)
Consumption (based on 280 cycles):
Water: 2520 litres per annum
Energy: 230 kW/h per annum
Noise level: 47 dB (A) RE 1 pW


- Maximum plate diameter 30 cm
- Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55%
- Inverter motor
- Total Acquastop
- Condenser drying
- Concealed heating element
- Adjustable water softener
- FlexiDuo cutlery basket
- Adjustable lower basket with double foldable racks
- Automatic adjustable upper basket on 3 levels
- Upper basket with 3 foldable racks
- Easyglide baskets
- Self balancing door hinges
- St/steel filter
- Delay timer option up to 9 hours



DF6FABRD

Available in Red whilst stocks last. (See website for specification details)

Colour co-ordinating cutlery basket and racks.



NB: This dishwasher will not fit under a standard worktop. Please check measurements carefully and choose the built-in version if there is insufficient height.



DF13TF3X

60CM DISHWASHER, ST/STEEL WITH SILVER SIDES



MODEL FEATURES & OPTIONS:



PROGRAMMES:



13 place settings

10 programmes: Soak, Crystal, ECO, Rapid 27 mins, ECO Quick, Delicate Quick, Normal Quick, Auto 45-65, Ultraclean, Strong and fast
5 temperatures (38° 45° 50° 65° 70°)

Consumption (based on 280 cycles):

Water: 2520 litres per annum

Energy: 231 kWh/year

Noise level: 44 dB (A) RE 1 pW

Maximum plate diameter 30 cm

Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55%

Inverter motor

Total Aquastop

Condenser drying

Concealed heating element

Adjustable water softener

FlexiDuo cutlery basket

Lower basket with double foldable rack


Automatic adjustable upper basket on 3 levels

Upper basket with 3 foldable racks

Self balancing door hinges

St/steel filter

Delay timer option up to 24 hours



DF13E2SV

60CM DISHWASHER, SILVER



MODEL FEATURES & OPTIONS:



PROGRAMMES:



13 place settings

5 programmes: Soak, Normal, ECO, Rapid 27 mins, Ultraclean.
4 temperatures (38° 50° 65° 70°)
Consumption (based on 280 cycles):
Water: 3360 litres per annum
Energy: 295 kWh/year
Noise level: 51 dB (A) RE 1 pW

Maximum plate diameter 30 cm
Average wash time approximately 100 mins
Total Acquastop
Condenser drying
Concealed heating element
Adjustable water softener
Adjustable lower basket with fixed racks
Automatic adjustable upper basket on 3 levels
Upper basket with central fixed racks
Self balancing door hinges
St/steel filter

DF13E2WH

60CM DISHWASHER, WHITE




DF13E2SV
DF13E2WH

D4SS-1

45CM DISHWASHER, FULLY CLAD IN ST/STEEL



MODEL FEATURES & OPTIONS:



PROGRAMMES:




10 place settings

10 programmes: Soak, Rapid 27 mins, Crystal, Delicate Quick, ECO, ECO Quick, Auto 45-65, Normal Quick, Super, Strong & Fast
5 temperatures (38° 45° 50° 65° 70°)
Consumption (based on 280 cycles):
Water: 2660 litres per annum
Energy: 236 kWh/year
Noise level: 46 dB (A) RE 1 pW

Maximum plate diameter 30 cm
Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55%
Total Acquastop
Condenser drying
Concealed heating element
Adjustable water softener
Adjustable lower basket with double foldable racks
Automatic adjustable upper basket on 3 levels
Self balancing door hinges
St/steel filter
Delay timer option up to 24 hours

D4B-1

45CM DISHWASHER, BLACK



WASHING MACHINES AND DRYERS

Offering excellent performance and sought after style, the distinctive design of Smeg washing machines, washer dryers and tumble dryers make them not simply appliances useful for doing the chores, but also inspirational pieces of kitchen furniture combining practicality with technology and grace.



LAUNDRY RANGE
optimum choice

Superior durability and top performances are the core values of the laundry range. Smeg offers a wide choice of freestanding laundry products – from 50's Retro style washing machines, designed to coordinate with the iconic FAB refrigeration range, to stylish Stainless Steel or white models. Washer dryers and a heat pump condenser tumble dryer complete the range.



50S RETRO STYLE



WHITE AND SILVER




STAINLESS STEEL



WHITE

HI-TECH LAUNDRY

Advanced Technology



DIRECT MOTION
Electronic management ensures maximum performance at any spin speed, along with **more silent operation** and greater safety when washing delicate items, thanks to a significant reduction in vibration. This applies to models with 11kg load capacity.



WOOLMARK LABELLED
The wool wash cycle found on the WHT washing machines has been approved by The Woolmark Company for the washing of wool garments.
A hand wash symbol can also be found on the 11kg model approved as **Wool Hand Wash Safe**.

AQUACARE DRUM

The heart shaped drum provides complete care and excellent performance for your laundry. With fewer and smaller holes than an average drum, more water is held inside the drum during the wash cycle. The clothes are cushioned by this protective layer of water and the result is reduced wear and tear of fabrics.



Smeg washing machines really stand out due to their energy class with A+++ on some models, offering the maximum possible energy savings without any compromise in performance.



HEAT PUMP DRYER

Intelligent technology



Comfortable door with diameter up to 40 cm

DRYCARE DRUM

The structure of the heart shaped drum creates a cushioning layer of air between the clothing and the drum, as the clothes tumble, reducing friction and damage to the fabric. The drum also creates extra lift of the clothing, facilitating excellent airflow and drying performance.

HEAT PUMP

Heat pump technology conserves and re-uses hot air, which is better for the environment and makes it cheaper to run. Since it uses an energy efficient heat exchange system, the air temperature inside the drum is considerably lower than conventional dryers, which offers better protection for your clothes.

As illustrated here, some washing machines can be stacked with the heat pump dryer by purchasing stacking kit KITSPXL.

SMEG LAUNDRY

universal features



AUTOMATIC LOAD SENSING & BALANCING

The machine automatically adjusts the water according to the weight of the laundry being washed. An unbalanced load can cause damage to the washing machine, noise and vibration. Smeg washing machines ensure that laundry is properly distributed in the drum. If an unbalanced load is detected, the spin speed is automatically adjusted.



MAXI CAPACITY

Some models allow loading up to 11 kg, thus meeting the needs of large volume washing.



SUPERFAST 15 MINS

A programme designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments.



FLEXITIME

This option allows the user to reduce the time of the cycle selected, providing extra control.



TOTAL ACQUASTOP

3 levels of anti-flood devices ensure protection against water leakage.



DOOR

The diameter of the door is up to 34cm on a washing machine and 40cm on a dryer, and opens up to 180° in some cases for the maximum comfort of use.



TOUCH DISPLAY

Easy to use touch controls allow the machine to be set with a simple touch.



WMFABPB-2

60CM, 50'S STYLE WASHING MACHINE, PASTEL BLUE



FEATURES:



SPECIAL PROGRAMMES:




Electronic display Includes 24hr delay timer and recommended load
 8 buttons/options: Delay timer, FlexiTime, Prewash, Additional rinse, No spin, Easy iron, Intensive, Cold wash
 Electronic display shows programme selected and progression
 15 washing programmes
 Customised options: variable temperature, spin speed up to 1400rpm, and option selector
Max 7kg of dry laundry
 Extra large porthole 300mm

Consumption (220 cycles):
 Water: 10340 litres per annum
 Energy: 193 kW/h per annum
 Noise level washing: 59 dB(A) re 1pW
 Noise level spinning: 78 dB(A) re 1pW
 Nominal power 2.20 kW
 Energy efficiency class: A++
 Washing performance: A
 Spin drying performance: B



WMFABPK-2 Pink
 WMFABBL-2 Black
 WMFABCR-2 Cream



NB: This washing machine will not fit under a standard work top. Please check measurements carefully.





WHT1114LSUK1

60CM, WASHING MACHINE, WHITE WITH SILVER FACIA



FEATURES:




SPECIAL PROGRAMMES:



Electronic display includes 24hr delay timer
 Buttons/Options: Delay timer/Prewash/Additional rinse/No spin/Rinse hold/Easy iron/Cold wash
 Electronic display shows programme selected and progression
 16 washing programmes
 Customised options: variable temperature, spin speed up to 1400rpm, and option selector
Aquacare drum
Max 11kg of dry laundry
Direct motion brushless motor
 Depth: 625mm
 Extra large 340mm porthole

Consumption (220 cycles):
 Water: 13200 litres per annum
 Energy: 233 kW/h per annum
 Noise level washing: 59 dB(A) re 1pW
 Noise level spinning: 76 dB(A) re 1pW
 Nominal power 2.20 kW
 Energy efficiency class: A+++
 Washing performance: A
 Spin drying performance: B



WHT914LSUK1

60CM, WASHING MACHINE, WHITE WITH SILVER FACIA



FEATURES:




SPECIAL PROGRAMMES:



Electronic display includes 24hr delay timer
 Buttons/Options: Delay timer/Prewash/Additional rinse/No spin/Rinse hold/Easy iron/Cold wash
 Electronic display shows programme selected and progression
 16 washing programmes
 Customised options: variable temperature, spin speed up to 1400rpm, and option selector
Aquacare drum
Max 9kg of dry laundry
Brushless motor
 Depth: 600mm
 Extra large 340mm porthole

Consumption (220 cycles):
 Water: 10560 litres per annum
 Energy: 214 kW/h per annum
 Noise level washing: 53 dB(A) re 1pW
 Noise level spinning: 76 dB(A) re 1pW
 Nominal power 2.20 kW
 Energy efficiency class: A+++
 Washing performance: A
 Spin drying performance: B



DHT81LUK

60CM, HEAT PUMP CONDENSER TUMBLE DRYER, WHITE WITH SILVER FACIA



FEATURES:




SPECIAL PROGRAMMES:



Electronic display includes 24hr delay timer
 16 drying programmes
Humidity sensor
Condenser drying with heating pump system
 Clean programme
Drycare drum
Max drying capacity: 8kg
Extra large 400mm porthole
 Depth: 609mm

CONSUMPTION:
 For complete 8kg dry: energy 2.47 kWh
 Annual energy consumption: 297 kWh
 Noise level: 66 dB (A) RE 1 pW
 Energy efficiency class A+
 Condensation efficiency class B

The DHT81LUK can be stacked with any WHT washing machine shown in this brochure using KITSPXL stacking kit.



The DHT81LUK can be stacked with any WHT washing machine shown in this brochure using KITSPXL stacking kit

WMF147X-2

60CM, WASHING MACHINE, ST/STEEL



FEATURES:




SPECIAL PROGRAMMES:



Electronic display Includes 24hr delay timer and recommended load
8 buttons/options: Delay timer, FlexiTime, Prewash, Additional rinse, No spin, Rinse hold, Easy iron, Intensive, Cold wash
Electronic display shows programme selected and progression
15 washing programmes
Customised options: variable temperature, spin speed up to 1400rpm, and option selector including FlexiTime
Max 7kg of dry laundry
Extra large porthole 300mm

Consumption (220 cycles):
Water: 10340 litres per annum
Energy: 193 kW/h per annum
Noise level washing: 59 dB(A) re 1pW
Noise level spinning: 78 dB(A) re 1pW
Nominal power 2.20 kW
Energy efficiency class: A++
Washing performance: A
Spin drying performance: B




WDF147X

60CM, WASHER/DRYER, ST/STEEL



FEATURES:



SPECIAL PROGRAMMES:



Electronic display includes 24hr delay timer and recommended load
7 buttons/options: Delay timer, FlexiTime, Prewash, Additional rinse, Easy iron, Intensive, Drying
Electronic display shows programme selected and progression
15 washing programmes
Customised options: variable temperature, spin speed up to 1400rpm, and option selector including FlexiTime
2 automatic drying programmes
Max washing capacity: 7kg
Max drying capacity: 4kg
Clean programme
Extra large porthole 300mm

Consumption (per cycle):
For washing only: 47 litres, energy 1.19 kW/h
For complete 7kg wash + 2 sessions of 4kg drying: Water 99 litres, energy 4.76 kW/h
Nominal power 2.00 kW
Energy efficiency class: B
Washing performance: A

WDF147

60CM, WASHER/DRYER, WHITE



FEATURES:




SPECIAL PROGRAMMES:



Electronic display includes 24hr delay timer and recommended load
7 buttons/options: Delay timer, FlexiTime, Prewash, Additional rinse, Easy iron, Intensive, Drying
Electronic display shows programme selected and progression
15 washing programmes
Customised options: variable temperature, spin speed up to 1400rpm, and option selector including FlexiTime
2 automatic drying programmes
Max washing capacity: 7kg
Max drying capacity: 4kg
Clean programme
Extra large porthole 300mm

Consumption (per cycle):
For washing only: water 47 litres, energy 1.19 kW/h
For complete 7kg wash + 2 sessions of 4kg drying: water 99 litres, energy 4.76 kW/h
Nominal power 2.00 kW
Energy efficiency class: B
Washing performance: A



WDF14C7

60CM, WASHER/DRYER, WHITE



FEATURES:




SPECIAL PROGRAMMES:



Electronic display includes 24hr delay timer
10 buttons/options: Delay timer, FlexiTime, Prewash, Additional rinse, No spin, Rinse hold, Easy iron, Intensive, Cold wash, Drying
Electronic display shows programme selected and progression
15 washing programmes
Customised options: variable temperature, spin speed up to 1400rpm, and option selector including FlexiTime
2 automatic drying programmes
Max washing capacity: 7kg
Max drying capacity: 4kg
Clean programme
Extra large porthole 300mm

Consumption (per cycle):
For washing only: water 47 litres, energy 1.19 kW/h
For complete 7kg wash + 2 sessions of 4kg drying: water 99 litres, energy 4.76 kW/h
Nominal power 2.00 kW
Energy efficiency class: B
Washing performance: A

 **Circulaire:**
Hot air fan cooking that provides quick, multi layered cooking with excellent browning results. Due to the effective circulation of hot air, there is no flavour transfer between foods. Delicate and strongly fragranced foods can be cooked at the same time.

 **Circulaire with upper and lower elements (Turbo)**
Facilitates the cooking of large joints, due to heat coming from all three elements. Similar to rotisserie cooking the meat is sealed, and juices are held within the joint of meat. The results are both tender and juicy.

 **Circulaire with lower element:**
Great for quiches and flans where normally you would need to 'blind bake' the pastry. At the same time, the base element will cook the pastry and the fan will take care of the filling.


 **Upper and lower element only:**
Ideal for slow baked cakes and casseroles. This traditional static heat will ensure food remains moist when cooked for longer periods of time.

 **Lower heating element only:**
Ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.

 **Top element only:**
Useful for browning the tops of dishes such as lasagne and potato or cheese topped recipes.

 **Fan with lower and upper elements:**
The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heating is required. Most suitable for items requiring slow cooking methods

 **Grill element/Half grill:**
For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.


 **Fan with upper element:**
The same functionality as top element only but will distribute the heat around the cavity allowing for plate warming etc at the same time.

 **Fan with grill element:**
The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.


 **Fan with lower element:**
This combination completes cooking more quickly of foods that are ready on the surface, but require more cooking inside, without further browning.

 **Pizza function:**
The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.


 **Defrost:**
Both symbols refer to the same function. The circulation of air enables quicker thawing of frozen food, without the use of any heat. Ideal for use prior to cooking of ready-made dishes, or cream filled products etc.

 **Snowflake:**
With the switch on this symbol, no heating is possible even if the thermostat is turned.

 **Fan:**
As above but with thermostat set at '0'.

 **Rotisserie:**
The rotisserie (where installed) works in combination with the grill element whilst constantly turning the food.

 These symbols allow use of the rotisserie with full or half grill.

 **Eco:**
The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.

 **Eco Circulaire:**
Some cooker models have Eco Circulaire in place of Circulaire but the 2 functions work in the same way. This is the most energy efficient standard oven function for the cooker.

GENERAL

 **Product energy rating**, measured from A+++ to D / G depending on the product family.

 **Child lock**, some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.

 **Finger-friendly stainless steel** finish keeps stainless steel looking as good as new.

 **LED display**, to show programmes, functions and options selected and the time to the end of the cycle.

 **LCD-display**: to optimize performance and simplify the use of the appliance.

 Models with this symbol are available via appointed dealers. For stockist details please see www.smeguk.com

COOKERS

 The number of **different cooking levels** found in each oven cavity.

 The **capacity** indicates the amount of **usable space** in the oven cavity in litres.

 **The inner door glass can be removed** with a few quick movements for cleaning.

 Shows number of glazed doors. **Quadruple glazed doors** keep surface temperatures as low as possible and are featured on all Pyrolytic ovens.

 **All glass inner door**, a single flat surface which is simple to keep clean.

 The **enamel interior** of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.

 **Safe cook**, the system for **closed door grilling** allows grilling with the oven door shut, keeping cooking smells inside the oven and ensuring a safe cooking environment.

 All Pyrolytic ovens have a **Cooler touch door** which allows the outer glass door to become no hotter than 55°C.

 Some cookers feature a tilting grill that can be easily unhooked to clean the roof of the appliance in one simple step.

 Telescopic rails allow you to put out the dish and check it without having to remove it from the oven entirely. This symbol appears on models where it is a standard accessory

 **Air cooling system** to ensure a safe surface temperature.

 **Pyrolytic cleaning:** Oven is heated up to the temperature of 500°C, destroying all grease inside the cavity. Program duration is 3 hours.

 **Vapor clean**, an effective function for loosening food spillages in the oven. Vapor Clean uses detergent and water to release the burnt on food from the base and walls of the oven.

 **Ceramic:** high-light halogen plates are very quick to heat up, extremely resistant to heat as well as being easy to maintain.

 **Induction:** this type of cooking is based on magnetic fields. It is faster than gas cooking and offers precise temperature control.

 **Automatic switch-off:** The safety system that automatically turns off the hob in case of overheating of the control unit

 After the glass ceramic hob is switched off the **residual heat indicator** shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.

 **Power booster** option allows the zone to work at full power when very intense cooking is necessary.

 **UR** Powerful **ultra rapid burners** offer up to 5kW of power.

 **Heavy duty cast iron pan stands** for maximum stability and strength.

COOKER HOODS

 Models have **filters** to help remove grease from the steam emanating from the pans during cooking.

 Extracting through **charcoal filters** or directly to the exterior lessens strong cooking odours considerably. Charcoal filters are purchased as an optional extra, see chart for details.

 All cooker hoods feature **lights** to illuminate the cooking area or add to the ambience of the kitchen.


 A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.

 **Intensive/turbo** setting, when extra fast extraction is required.

 **Warning light(s)** to advise when filters need changing.

Vent kits

Simple vent kits include 1 metre of flexible hose, while comprehensive kits add a further 2 metres of ducting with two 1 metre flat channel sections.



- The temperature in the **Lifeplus compartments** is kept at 0°C which preserves fresh meat and fish longer.
- All models of Smeg refrigerators and freezers have a **4-star freezing compartment** for better food preservation.
- This unique **Natural Plus Blu Light** system works with nature to increase the storage time of fruit and vegetables.
- The **automatic defrost system** works by automatically defrosting at regular intervals eradicating the need to defrost altogether.
- The **fast freezing function** brings the temperature of the compartment down when activated a few hours prior to usage.

- The **power saving mode** allows you to disable the refrigerator and keep the freezer working.
- LED interior lighting** is a more energy efficient and long lasting way of illuminating the interior of the appliance.
- Air plus** keeps food fresher for longer.
- Multizone** compartment can be used as a refrigerator or a freezer compartment.
- The **Frost Free refrigeration systems** prevent ice from forming so that no manual defrosting is required.

Climatic Class

The climatic class indicates the range of ambient temperatures for which the appliance is suitable. It is important to select a refrigeration appliance specified for the environment in which it is to be situated

Climatic Class	Min temp (°C)	Max temp (°C)
SN	10	32
N	16	32
ST	18	38
T	18	43

- The symbols show the number of **plate settings** of the dishwasher.
- Total acquastop** is an electronic device which monitors water levels in the machine to detect leaks in the hose and switch off the water supply immediately if necessary.
- Aquatest** measures the clarity of the water during an auto programme, and automatically ensures the minimum consumption of water and energy.
- The **auto programme** regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.
- The **crystal cycle** is designed especially for glass ware and for delicate dishes with light dirt.
- The **delay timer** can postpone the start of the programme by up to 24 hours.
- Delicate** washing program is designed for delicate dishes which are not heavily soiled. A **Delicate Quick** programme is also available for some models.
- Convenient **EasyGlide system** for easy unloading of the appliance that allows maximum flexibility of load of the machine.
- Eco**, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option. An **Eco Quick** programme is also available for some models.
- At the end of the drying cycle the **DryAssist** device slowly opens the door which ensures perfect drying.
- The **FlexiDuo** 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.

- Flexitabs** adjusts the wash cycle to give the best possible results regardless of the type of detergent used.
- The **1/2 load flexizone** allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.
- The **hyclean** option performs a final 10 minute rinse at a high temperature of 70°C eliminating virtually all bacteria.
- The **normal** programme is suitable for normal degrees of dirt for everyday use. A **Normal Quick** programme is also available on some models.
- The **quick time** option can reduce the length of the wash cycle up to 55%.
- The **rapid 27 mins quick** programme takes just 27 minutes to wash a load.
- The **soak** programme provides a rinse to prevent dirt from drying.
- The **Strong & Fast** programme takes less than 1 hour to eliminate the most stubborn dirt and dried on residues.
- The **Super** programme is suitable for removing stubborn dirt. A **Super Quick** programme is also available on some model.
- The **Planetarium** wash system with its innovative double simultaneous motion of the spray arm, provides maximum coverage within the dishwasher. The rotation speed is approximately 65rpm giving the best wash results available.
- Orbital wash system** distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.
- The **Swing Wash** system ensures optimum water distribution throughout 45cm dishwasher tanks to deliver excellent wash results.

- Woolmark apparel care:** The wool wash cycle of the machine has been approved by the Woolmark company for the washing of machine washable wool products provided instructions on the garment label are followed.
- Woolmark Wool Hand wash Safe:** The wool wash cycle of the machine has been approved by the Woolmark company for the washing of wool garments labelled as "hand wash" provided instructions on the garment label are followed.
- Direct motion** motor: Performs various drum motions, or a combination of different motions depending on the wash programme selected. Flexible patterns enables gentle handling of many different types of garments.
- This shows the drum capacity size for dry laundry in KG
- Prewash:** A preliminary wash ideal for soaking and washing heavily soiled items.
- Total acquastop**, the product is built with 3 levels of anti-flood devices to ensure protection against water leakage.
- Hygienecare** - Removes allergens and destroys bacteria that may aggravate allergy sufferers. A longer heat time and additional rinsing provides a greater level of hygiene.
- A **cleaning** programme has been created to maintain the performance of washer/dryers. The display shows automatically when cleaning is required.
- Curtains:** A special programme designed for washing curtains. The spin of the programme allows less creasing.
- The **FlexiTime** option allows the user to reduce the time of the cycle selected, providing extra flexibility and control.
- Delay timer**, can be set to run the programme at a convenient time or to take advantage of off-peak energy periods.
- Clothing such as underwear, hosiery and luxury fabrics should be dried on the **delicate cycle** to help extend the life of the clothing.
- This shows the amount of laundry that can be inserted into the tumble dryer in KG.
- Humidity sensor:** detects when the clothing is dry. This provides optimum drying performance. No energy is wasted. Saving money and time. It also protects the clothes by not over drying and making them easier to iron.

- Hand wash**, this specific programme for delicate fabrics uses slower rotations of the drum to ensure the utmost care for clothing.
- Jeans:** a washing cycle which is kind to the colour and fabric of denim whilst minimising wrinkles.
- Mixed fabrics**, this cycle is designed for lightly soiled laundry in a mix of cottons and synthetics, or can be used just to refresh stored items.
- Night:** an ideal programme for those who want to take advantage of off-peak energy periods, this cycle is particularly quiet due to slower rotations of the drum.
- Duvet:** Simple way to wash your duvet in a domestic washing machine. This programme provides an effective wash and spin for this type of garment.
- Super fast** programme: designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments. Various Superfast programmes are available.
- The **Extra rinse** option can be added to the selected programme when more thorough cleansing of fabrics is needed.
- Shirts**, a cycle to wash shirts in a short time with the utmost care, using a delicate spin for easy ironing.
- Gym**, a cycle designed for washing lightly soiled garments, ie sports wear, this is a fast wash which is also kind to fabrics.
- The **wool** cycles of the Smeg tumble dryer dry all of your woollen items with the gentlest treatment possible.
- Easy Iron**, this is an option which can be selected to ensure the finished laundry is left with less creases to make ironing easier.
- Refresh:** This programme circulates room air through the clothing for 10 minutes. Odours that build up in clothes, stored for a long time, will be removed
- Inverter motor:** These motors use less vibrations creating less noise during washing and spinning phases.
- Automatic load balancing:** Machines with this feature automatically adjust the water according to the weight of the load.

Quality, Environmental and Occupational Health & Safety Management Systems

All Smeg factories are ISO9001, ISO14001 and OHSAS 18001 certified, ensuring that the highest standards of quality are continually maintained whilst actively responding to all environmental issues relating to manufacture. The materials and components used to produce smeg products undergo strict quality control testing, and care is taken to source recyclable materials wherever possible. These management systems enable Smeg to provide complete assurance that all products meet superior standards whilst respecting the environment. The workforce is not forgotten – the occupational health and safety assessment scheme promotes a safe and healthy working environment, aids legislative compliance and helps improve overall performance.



UNI EN ISO 9001



UNI EN ISO 14001



OHSAS 18001



This catalogue is printed entirely on FSC® (Forest Stewardship Council®) certified paper that has been produced with cellulose sourced from forests that are managed responsibly, in accordance with rigorous environmental, social, economic and cultural standards.
<http://www.fsc.org/>

Whereas every effort has been made to ensure that the information and images contained in our literature are correct at time of going to print, this brochure should not be regarded as an infallible guide to current specification, nor does it constitute an offer for sale of any particular product.



www.smeguk.com

Smeg (UK) Limited

The Magna Building, Wyndyke Furlong,
Abingdon, Oxfordshire, OX14 1DZ

Information line

Tel. 0344 5579907

Trade Enquiries

Tel 0344 5570070

Service & Spare Parts

Tel. 0344 5579907